VOLUME AUTHOR INDEX

NOTE

Committee and Special Reports are published in rear forms as part of AHA News.

The reports follow text and are continued into rear ad pages.

A

Abbott JA, 1211 Abrahamsen AM, 1179 Achard F, 23 Achuff SC, 1168 Acunzo RS, 462 Ahnve S, 1137 Alborino A, 504 Aldariz AE, 462 Alderman E, 562 Allen HD, 1070 Almazán A, 1315 Anderson GH Jr, 513 Anderson RH, 266, 272 Anderson RW, 108 Anderson ST, 972 Anderson WR, 755 Andrews V, 1262 Antonelli G, 1045 Antzelevitch C, 1225 Arcalís-Arce L, 895 Arentzen CE, 108 Arienzo V. 504 Arkwright PD, 60, 515 Armstrong BK, 60 Armstrong PW, 1273 Armstrong WF, 166 Ashburn W, 621 Asinger RW, 755 Atkins DL, 281 Aviram M, 923 Azancot I, 986

В

Baba N. 288 Bacharach SL, 1159 Bache RJ, 555 Bachorik PS, 1346 Bär FWHM, 800 Bardos P, 905 Baron AE, 717 Barratt-Boyes BG, 1034 Bartorelli A, 881 Bassan M, 710 Baudouy Y, 986 Baumann P, 1105 Bautovich G, 804 Beaufils P, 986 Beck JR. 638 Beerman LB, 258 Beilin LJ, 60, 515 Belhassen B, 1124 Beller GA, 732 Beltangady SS, 717 Benacerraf A, 23 Benge JW, 129 Bentivoglio L, 693 Berge KG, 1176 Berger HJ, 748 Berkson DM, 1308 Bethge C, 905

Bhatnagar RK, 129 Bianco JA, 248, 1136 Biasco G. 1045 Biello DR, 251 Bierman FZ, 980 Biliack SA, 1120 Billingham ME, 1100 Billman GE, 874 Bird JJ, 835 Bishop RL, 218 Black J, 1249 Blackman MS, 513 Blaschke TF, 447 Bleifeld W, 784, 1325 Blieden L, 1124 Block P, 693 Block PC, 1139 Blomqvist CG, 680 Boerboom LE, 338 Böhlig B, 44 Boisante L, 887 Bolson EL, 930 Bonchek LI, 338 Bonow RO, 1159 Bontemps R, 149 Borggrefe M, 1233 Born ML, 811, 1332 Borow KM, 980 Botvinick EH, 248, 953, 960 Boucek RJ, 926 Boucek RJ Jr. 811 Boucher CA, 649 Bourassa MG, 23, 380, 693, 695 Bourdarias J-P, 887 Bourg E, 83 Brach B, 621 Brady TJ, 1012 Brandenburg RO, 284 Brandt PWT, 1034

Breall WS, 83 Brévers G, 380 Briskin V, 447

Braunwald E, 487, 1136, 1146

Braun G, 361

Brodsky SJ, 569 Brook JG, 923 Brown HV, 143 Brownell KD, 1346 Brugada P, 800 Brundage B, 953

Bull C, 266, 272 Buonanno FS, 1012 Burckhardt D, 1017 Burkart F, 1017 Burke BA, 1280

Burt CT, 1012 Butt RW, 327 Buttner EE, 49

Cabin HS, 93 Cade JF, 29 Canner PL, 401, 1176 Cannon PJ, 537 Carabello BA, 732

Carrico CJ, 627 Carter BL, 470 Cash JB, 1078

Castaneda-Zuniga WR, 1280 Cato AE, 334

Cedres LB, 1308 Chaitman BR, 23, 380, 562 Chandra N, 898, 1133 Chapman DW, 717

Charuzi Y, 1185 Chatterjee K, 960 Chaux E, 1150 Cheitlin MD, 244 Chen PH, 537

Chen PH, 537 Chesterman CN, 29 Chestnut CH III, 627 Cheung W-m, 181

Cheung W-m, 181 Chiariello M, 250 Chierchia S, 702 Cho S, 342 Cintrón G, 251 Cipriano PR, 1100

Clark EB, 281 Clark MA, 288 Clarke WR, 428 Cobb FR, 100, 643 Cobb LA, 2012, 627 Cody RJ, 135 Cohen MV, 149

Cohn PF, 945 Coleman RE, 100, 643 Collette P, 1308 Collins SM, 370 Condorelli M, 250 Cong BH, 680

Cong BH, 680 Conklin CM, 1185 Conti CR, 321 Cook EF, 903, 945, 1346

Cooper MW, 771 Copeland JG, 1034 Costerton JW, 1339 Cottrill CM, 1078 Cowley M, 693 Cox DA, 1154

Crampton RS, 732 Crawford MH, 612 Crea F, 702 Crépeau J, 380, 695 Crevey BJ, 252

Crozatier B, 938 Currie PJ, 972 Cutler SS, 569

D

Daggett WM, 235 Danielson GK, 284 David M, 1124 David PR, 380, 695

C

VOLUME AUTHOR INDEX

NOTE

Committee and Special Reports are published in rear forms as part of AHA News.

The reports follow text and are continued into rear ad pages.

A

Abbott JA, 1211 Abrahamsen AM, 1179 Achard F, 23 Achuff SC, 1168 Acunzo RS, 462 Ahnve S, 1137 Alborino A, 504 Aldariz AE, 462 Alderman E, 562 Allen HD, 1070 Almazán A, 1315 Anderson GH Jr, 513 Anderson RH, 266, 272 Anderson RW, 108 Anderson ST, 972 Anderson WR, 755 Andrews V, 1262 Antonelli G, 1045 Antzelevitch C, 1225 Arcalís-Arce L, 895 Arentzen CE, 108 Arienzo V. 504 Arkwright PD, 60, 515 Armstrong BK, 60 Armstrong PW, 1273 Armstrong WF, 166 Ashburn W, 621 Asinger RW, 755 Atkins DL, 281 Aviram M, 923 Azancot I, 986

В

Baba N. 288 Bacharach SL, 1159 Bache RJ, 555 Bachorik PS, 1346 Bär FWHM, 800 Bardos P, 905 Baron AE, 717 Barratt-Boyes BG, 1034 Bartorelli A, 881 Bassan M, 710 Baudouy Y, 986 Baumann P, 1105 Bautovich G, 804 Beaufils P, 986 Beck JR. 638 Beerman LB, 258 Beilin LJ, 60, 515 Belhassen B, 1124 Beller GA, 732 Beltangady SS, 717 Benacerraf A, 23 Benge JW, 129 Bentivoglio L, 693 Berge KG, 1176 Berger HJ, 748 Berkson DM, 1308 Bethge C, 905

Bhatnagar RK, 129 Bianco JA, 248, 1136 Biasco G. 1045 Biello DR, 251 Bierman FZ, 980 Biliack SA, 1120 Billingham ME, 1100 Billman GE, 874 Bird JJ, 835 Bishop RL, 218 Black J, 1249 Blackman MS, 513 Blaschke TF, 447 Bleifeld W, 784, 1325 Blieden L, 1124 Block P, 693 Block PC, 1139 Blomqvist CG, 680 Boerboom LE, 338 Böhlig B, 44 Boisante L, 887 Bolson EL, 930 Bonchek LI, 338 Bonow RO, 1159 Bontemps R, 149 Borggrefe M, 1233 Born ML, 811, 1332 Borow KM, 980 Botvinick EH, 248, 953, 960 Boucek RJ, 926 Boucek RJ Jr. 811 Boucher CA, 649 Bourassa MG, 23, 380, 693, 695 Bourdarias J-P, 887 Bourg E, 83 Brach B, 621 Brady TJ, 1012 Brandenburg RO, 284 Brandt PWT, 1034

Breall WS, 83 Brévers G, 380 Briskin V, 447

Braunwald E, 487, 1136, 1146

Braun G, 361

Brodsky SJ, 569 Brook JG, 923 Brown HV, 143 Brownell KD, 1346 Brugada P, 800 Brundage B, 953

Bull C, 266, 272 Buonanno FS, 1012 Burckhardt D, 1017 Burkart F, 1017 Burke BA, 1280

Burt CT, 1012 Butt RW, 327 Buttner EE, 49

Cabin HS, 93 Cade JF, 29 Canner PL, 401, 1176 Cannon PJ, 537 Carabello BA, 732

Carrico CJ, 627 Carter BL, 470 Cash JB, 1078

Castaneda-Zuniga WR, 1280 Cato AE, 334

Cedres LB, 1308 Chaitman BR, 23, 380, 562 Chandra N, 898, 1133 Chapman DW, 717

Charuzi Y, 1185 Chatterjee K, 960 Chaux E, 1150 Cheitlin MD, 244 Chen PH, 537

Chen PH, 537 Chesterman CN, 29 Chestnut CH III, 627 Cheung W-m, 181

Cheung W-m, 181 Chiariello M, 250 Chierchia S, 702 Cho S, 342 Cintrón G, 251 Cipriano PR, 1100

Clark EB, 281 Clark MA, 288 Clarke WR, 428 Cobb FR, 100, 643 Cobb LA, 2012, 627 Cody RJ, 135 Cohen MV, 149

Cohn PF, 945 Coleman RE, 100, 643 Collette P, 1308 Collins SM, 370 Condorelli M, 250 Cong BH, 680

Cong BH, 680 Conklin CM, 1185 Conti CR, 321 Cook EF, 903, 945, 1346

Cooper MW, 771 Copeland JG, 1034 Costerton JW, 1339 Cottrill CM, 1078 Cowley M, 693 Cox DA, 1154

Crampton RS, 732 Crawford MH, 612 Crea F, 702 Crépeau J, 380, 695 Crevey BJ, 252

Crozatier B, 938 Currie PJ, 972 Cutler SS, 569

D

Daggett WM, 235 Danielson GK, 284 David M, 1124 David PR, 380, 695

C

Davidenko JM, 462 Davis JW, 108 Davis KB, 562 Deanfield J, 1233 de Boer AC, 327 de Bono DP, 1322 de Buen-Sánchez ML, 895 de Caterina R, 702 De Feyter PJ, 527 de Jong J. 527 Delanguenhagen B, 23 Delcán JL, 1315 de Leval MR, 266, 272 Denes P, 1113, 1120 Desai J, 1211 Detre KM, 14, 693 de Zwann C, 800 Diamond G, 681 Dighton DH, 527 Dillon JC, 166 Ditchey RV, 297 Dixon T. 83 Dodek A, 680 Doi M. 519 Dominitz R, 342 Dorbic T, 44 Dörr R, 905 Dorros G, 693 Doyle DJ, 29 Dreslinski GR, 55 Drobac M, 1059 Duncan WJ, 1070 Dunn FG, 55 Dunn RF, 804, 960 Dupras G, 380 Dyer A, 1308

E

Ebert PA, 253, 1129 Echt DS, 1205 Edwards WD, 672 Effert S, 361, 905 Ehrhardt JC, 370 Ehsani AA, 901 Einzig S, 1280 Elek SR. 83 Elizari MV, 462 El-Sherif N, 864 Elsperger KJ, 755 Emmenegger H, 1017 Eng C, 309 England D, 1233 Englert M, 680 Epstein SE, 1159 Erbel R, 361, 905 Evans TC Jr, 672

F

Facchini M, 496 Factor SM, 342, 1241 Falcone RA, 1199 Falkowski G, 258 Fallon JT, 316, 1139 Falzgraf S, 1315 Farcot J-C, 887 Farquhar JW, 77 Farrell B, 513 Farsang C, 1268 Faxon DP, 917 Federman J, 972 Fedullo PF, 632 Feigenbaum H, 166 Feinstein AR, 1 Feldman FD, 548 Feldman RL, 321 Fellows KE, 1094 Fenster PE, 1277 Ferguson RJ, 23 Ferrer MI, 249 Finlayson J, 1059 Finnie KJC, 251 Fiorentini C, 881 Fisch C, 904 Fishbein MC, 397, 1150 Fisher LD, 562 Flatley M, 945 Fletcher PJ, 574 Foale RA, 1065 Folland ED, 174, 764 Fordham EW, 1113 Forman S, 401 Fortmann SP, 77 Francisco DA, 370 Franklin KW, 135 Frater RWM, 226 Fray D, 562 Freedman B, 705 Freedom RM, 1070 Fricker FJ, 258 Friedman M, 83 Friesinger GC, 1332 Frishman WH, 1256 Frohlich ED, 55 Frosolono M. 334 Fruehan CT, 422 Fuchs RM, 1168 Fujimoto T, 1190 Fuster V, 284

G

Gabbay S, 226 Gallagher JJ, 196 Ganz W, 397, 1150, 1185 García-Dorado D, 1315 Garibjan VA, 258 Garofalo S, 504 Garside D, 1308 Gavras H, 1249 Geary GG, 391 Geft IL, 1150 Geltman EM, 251, 415 Genov T, 1150 Genton E, 327 Georgiopoulos G, 986 German LD, 196 Gewirtz H, 593 Giacomini KM, 447 Gibbons RJ, 643 Gibson RS, 732 Gibson TC, 1065 Gilbert BW, 1087 Gill JJ, 83 Gillam L, 1065 Gillum RF, 1346 Giorgetti R, 496 Girod DA, 258 Giuliani ER, 790 Glaeser DH, 717

Glenn W. 1034 Glueck CJ, 67 Glynn RJ, 724 Go RT, 370 Goldberg L, 901, 1346 Goldberg RJ, 903 Goldberg SJ, 1070 Goldman L, 903, 945, 1346 Goldman MR, 1012 Goldstein DS, 432 Gomes JAC, 864 Gonzalez R, 1211 Goodwin JF, 1233 Gore JM, 903 Gorlin R. 309 Gosselin A, 693 Gottsman SB, 917 Gould KL, 930, 1141 Grädel E, 1017 Grady S, 980 Graham K, 1034 Graham TP Jr, 811 Graves PE, 1277 Gray RJ, 1185 Greco R. 504 Green M. 800 Green MV, 1159 Greenberg M, 149 Griffin JC, 1205 Griffith LSC, 1168 Groch MW, 1113 Grose R, 149 Grossman W, 478 Groves BM, 334 Grüntzig, 693 Grunwald L, 1168 Guazzi MD, 881 Gueret P, 887 Guiteras Val P. 380 Gundersen T. 1179 Guntheroth WG, 479, 502 Guyer DE, 1065

Н

Hager WD, 1277 Hainline A Jr. 1176 Halgash DA, 309 Hallstrom AP, 212, 627 Halpern MS, 462 Hamaoka K, 6 Hammon JW Jr, 108, 1347 Handel F, 334 Hanrath P, 784 Harder JR, 1070 Harken AH, 548, 1050, 1199 Harker LA, 33 Harper RW, 972 Harrell F, 945 Hartman MT, 632 Harvey RM, 249 Hashida J, 1150 Hashimoto B, 903 Hashway T, 1110 Hasse J, 1017 Haudenschild C, 917 Hendrickson JA. 202 Herman MV, 309 Herrmann H-J, 658 Hershman J, 202 Heymann MA, 253

Higgins CB, 1136 Hill D. 1034 Hill NE, 422 Hinshaw WS, 1012 Hintze TH, 579 Hiroe M, 804 Hlatky M, 953 Hodges M, 755 Hofmann M, 303, 658, 1105 Hollister J, 1211 Holman BL, 638 Holmes DR Jr, 672 Holt ND, 732 Hood WB Jr, 1249 Hook BG, 1002 Hooper W, 621 Hori M, 226 Horn M, 621 Horowitz LN, 1199 Horowitz SF, 309 Horwitz D. 432 Howard RJ, 1059 Hubert JW, 742 Hudon G, 695 Hulley SB, 77 Hultgren HN, 14 Hung J-S, 454 Hutchins GM, 841 Hutchinson L, 338 Hynes JK, 284, 672

I

Iida M, 519 Iliceto S, 1045 Inati A, 980 Ishii Y, 994 Isner JM, 470

J

Jackman WM, 187 Jaffe EA, 1299 Jalife J, 1225 James TN, 847 Janicki JS, 1262 Jardin F, 887 Johnson GL, 1078 Johnson WW, 853 Johnston RV, 327 Jones JP, 811 Jones RH, 100, 643 Jordan J, 1216 Jorgensen CR, 555 Josephson ME, 1199 Juhasz I, 1268 Juste-Sánchez C, 895

K

Kadota K, 994 Kaiser GC, 562 Kalff V, 972 Kambara H, 994 Kang PS, 864 Kanmatsuse K, 397 Kapocsi J, 1268 Karagueuzian HS, 1190, 1216 Karliner JS, 675 Karp RB, 49, 847 Kastor JA, 790 Katoh T, 1190, 1216 Kawai C, 355, 994, 1349 Keane JF, 1094 Keane TJ, 1059 Keefe DL. 1205 Kehl C, 658 Keiser HR, 432 Kelley KO, 930 Kelly DT, 574, 705, 804 Kelly K, 67 Kelly MJ, 972 Kemper AJ, 248 Kent KM, 693, 1159 Kerber RE, 129, 597, 603 Kerr A, 1034 Kerr CR. 196 Khoury P, 67 Khuri SF, 174, 764 Kieso RA, 603 Kiesslich T, 905 Killip T III, 562 Kilman JW, 288 King BD, 288 King ME, 1065 Kinney EL, 166 Kinoshita N, 777 Kirk ES, 121, 1241 Kissebah AH, 338 Kistler JP, 1012 Kitaura Y, 1349 Kiyosawa N, 6 Kjekshus J, 1179 Kleiger RE, 742 Klein H. 847 Klein MD, 569 Klein V, 428 Kloner RA, 174, 764, 1136, 1146 Kluger J, 135 Komachi Y, 519 Konishi M. 519 Konopka R, 632 Konstam MA, 638 Korr KS, 593 Kou H-C, 454 Kouchoukos NT, 562, 847 Kozlowski J, 638 Kozuka T. 777

L

Lalor C, 515 Lambertz H, 361, 905 Lando U, 397 Langenstein BA, 784 Laniado S, 226, 1124 Laplace M, 938

Kramer B, 820

Kremer P, 784

Krone RJ, 742

Kugler J, 1256

Kunos G, 1268

Kutsche LM, 1100

Kreusch GR, 49

Krebber J-H, 1325

Krebs W, 361, 905

Kronenberg MW, 1332

Kübler W, 303, 658, 1105

Laragh JH, 135 Laskarzewski PM, 67 Lauer RM, 428 Laver MB, 1017 Lawrie GM, 717 Lee KL, 643, 945 Lee Y-S, 454 LeJemtel TH, 1256 Lenox CC, 258 Lepper M, 1308 Leppo J, 649 Lespérance J, 380, 695 Levin DC, 316 Levin RI, 1299 Levy RA, 83 Liang C-s, 1249 Lighty GW JR, 156 Likoff M, 1050, 1262 Lim YL, 972 Lindberg HA, 1308 Lipson LC, 1159 Litchfield RL, 129 Liu K, 1308 Loaldi A, 881 Lock JE, 1280 Loeb JM, 681 London E, 1025 López-Bescós L, 1315 Lorell BH, 478 Lorente P, 986 Lorenz R, 44 Loscalzo A, 903, 1346 Lucchesi BR, 1002 Ludbrook PA, 680 Lust RM, 771 Lutherer LO, 771

M

Macartney FJ, 266, 272 Maccoby N, 77 Macoviak J. 1050 MacPhee AA, 55 Mahony L, 253 Maier G, 108 Malpass TW, 33 Mammana R, 1034 Mandel WJ, 1190, 1216 Manthey J, 658, 1105 Marcus ML, 129, 370 Mark AL, 129 Markiewicz W, 923 Marks GS, 1273 Marmor A, 251, 415 Maroko PR, 181 Marquardt J, 1308 Marrie TJ, 1339 Marsico F, 504 Marvin WJ Jr, 281 Marx JD, 321 Maseri A, 702 Maskin C, 1256 Mason JW, 1205 Mason MA, 826 Mason PJ, 972 Masquet C, 986 Massie B, 820 Mathews RA, 258 Mathey DG, 1325 Matloff JM, 1185 Matsumori A, 355, 1349 Mäurer W, 658

McCabe CH, 569 McCullen A, 1190 McEwan P, 100 McGoon DC, 284 McGregor M, 689 McHale PA, 108 McKenna WJ, 1233 McLaughlin A, 804 McNamara JJ, 391 Meadows WR, 14 Meerbaum S, 397 Mehmel HC, 658, 1105 Mehta J, 474, 1294 Mehta P, 1294 Meister SG, 252 Mellies MJ, 67 Melmed S, 202 Menárguez L, 1315 Mercanti C, 266 Mercier JC, 397 Merx W, 905 Messer JV, 1113 Messerli FH, 55 Messmer BJ, 905 Meyer J, 361, 905 Michael UF, 1277 Midwall J, 309 Mikell FL, 755 Mikus JP, 470 Millard RW, 902 Miller DC, 1025 Miller DD, 588 Miller JP, 742 Minale C, 905 Minase T, 342, 1241 Mitchell N, 945 Mitchell WA, 926 Miyatake K, 777 Mock MB, 562 Moe GK, 1225 Moffat JA, 1273 Montemerlo M, 496 Mookherjee S, 422 Moore GW, 841 Morgan CD, 1087 Morgan FJ, 29 Morin B, 23 Morita H, 1349 Morris GC Jr, 717 Morris J, 574 Morrison JA, 67 Moser KM, 621, 632 Moser KS, 632 Most AS, 593 Motro M, 509 Moynihan PF, 764 Mueller TM, 166 Muhlbauer B, 1124 Mukai T, 994 Muller J, 903, 1346 Müller-Brand J, 1017 Mullin S, 562, 693 Mullins CE, 258 Munns J, 338 Murakami T, 994 Murgo JP, 835, 1347

Murphy ML, 14 Musto B, 504 Myler RK, 693

N

Nademanee K, 202 Nakajima H, 994

Nakanishi N. 519 Nanas S. 1308 Nau GJ, 462 Neches WH, 258 Nelligan J, 1339 Nelson WL, 447 Neufeld HN, 509 Newell JB, 649 Newhouse JH, 1012 Nichols AB, 537 Niemi T, 1280 Nieminen M, 174, 764 Nies AS, 1342 Nikolic G, 218 Nimura Y, 777 Ninomiya K, 397, 1150 Nixon JV, 680 Norwegian Multicentre Study Group, 1179 Noonan JA, 1078 Nyberg G, 902

0

Oakley CM, 1137, 1233 O'Boyle JE, 174, 764 O'Connor WN, 1078 Ohta M, 777 Okada RD, 649 Okamoto M, 777 O'Keefe DD, 235 Okun EM, 1241 Olinger GN, 338 Oliver GC, 742 Olley PM, 258 Olsen CO, 108 Onouchi Z, 6 Oparil S, 49 Ormiston JA, 665 O'Rourke RA, 612 Orszułak TA, 672 Owen SF, 252 Oyer PE, 1100 Ozawa H, 519

Ø

Pandian NG, 597, 603 Parisi AF, 174, 764, 902 Park SC, 258 Parker FB Jr, 513 Parmley WW, 960 Parrish MD, 811 Partain CL, 811 Pasipoularides A, 835, 1347 Passamani E, 693 Pasternac A, 23 Patrono C, 702 Patterson RE, 309 Paul O. 1308 Pauzner D, 1124 Pearlman AS, 156 Peduzzi P, 14 Pepine CJ, 321 Pepper JR, 338 Perez-Gonzalez J, 960 Permanyer-Miralda G, 895 Perrier D, 1277 Peter T, 1190 Pfeifer MA, 33

Pfisterer M. 1017 Piaget G. 83 Pichard AD, 309 Pilgrim JP, 665 Pirolo JS, 841 Pitt A, 972 Pitt B. 252 Poggio G, 496 Pohost GM, 235, 649, 1012 Polese A, 881 Pollick C, 447, 1087 Popp RL, 447, 1025 Ports T. 960 Potkin RT, 627 Pouleur H, 478, 1139 Powell JR, 1277 Powell L, 83 Price V, 83 Prineas R, 428 Propper R, 980 Prost J-F, 887 Province MA, 742 Puga FJ, 284 Pujadas-Capmany R, 895 Pykett IL, 1012

R

Rabin DD, 83 Rahimtoola S, 960 Rakowski H, 1059, 1087 Rankin JS, 108, 1347 Rauch B, 658 Reed AW, 202 Reeves JT, 334 Reichek N, 790, 1050, 1139, 1262 Reisin E, 55 Remington RD, 481 Rennie GC, 29 Reves JG, 49 Rhodes CA, 297 Ribeiro LGT, 181 Ricci DR, 826 Richmond DR, 705 Rider WD, 1059 Rigot VH, 1002 Riley RL, 683 Ringqvist I, 562 Ritchie JL, 33, 156, 1287 Ritter DG, 284 Rizzon P, 1045 Roberts R, 251, 415 Roberts WC. 93 Robertson D, 1332 Robertson RM, 1332 Roche A, 1034 Romanelli R, 926 Romson JL, 1002 Rønnevik PK, 1179 Roos JP, 527 Rosati R, 945 Rosenbaum MB, 462 Rosenbush SW, 1113 Rosing DR, 1159 Rosner B, 724 Ross DL, 1205 Rosti D, 496 Roth P. 44 Rouse IA, 60, 515 Rousseau MF, 478, 1139 Rowe RD, 1070 Rowlands E, 1137

Roy D, 800 Rozkovec A, 1137 Rubenson DS, 1025 Rubenstein JJ, 235 Rubin JJ, 334 Rubin SA, 143 Ruggie N, 1113 Russell RO Jr, 562 Ryan TJ, 562, 569, 917

Sabiston DC Jr. 108

S

Sadick NN, 574, 804 Sagristá-Sauleda J, 895 Sahn DJ, 1034, 1070 Sakakibara H, 777 Salice P, 496 Samuelson PN, 49 Sanborn TA, 917, 1139 Santinelli V, 250 Sanyal SK, 853 Schaper W, 303 Schechtman K, 415 Scheinman MM, 1211 Scheuer J. 491 Schieken RM, 428 Schlant RC, 401 Schlüter M, 784 Schmitt HE, 1017 Schmitz H, 905 Schmitz W, 1105 Schneeweis A, 509 Schoen FJ, 764 Schoenberger JA, 1308 Schofer J, 1325 Scholl J-M, 380, 695 Schork MA, 1002 Schuler G, 658, 1105 Schwartz A, 902 Schwartz PJ, 496, 874 Schwarz F, 303, 658, 1105 Schweizer P, 361 Sciacca RR, 537 Seino Y, 251 Sesto M, 303 Seward JB, 284 Sgroi V, 621 Shah PM, 665 Shalev O, 710 Sheehe PR, 422 Shekelle RB, 1308 Shekelle S, 1308 Shell W, 251, 1150 Shem-Tov A, 509 Sherez J, 1124 Sherman H, 945 Sherman LG, 1249 Shilansky E, 923 Shimamoto T, 519 Shimazu S, 6 Siegel BA, 251 Siess W, 44 Silbert JE, 724 Silver MD, 1059 Silverman NH, 1129 Silvers A, 717 Simpson J, 693 Simson MB, 548, 1199 Singh BN, 202 Singh D, 1137

Singh JB, 218 Slama R, 986 Small DM, 917, 1139 Smith GT, 391 Smith HC, 672 Smith LR, 49 Smith PK, 108, 1347 Smulyan H, 422 Snider AR, 1129 Sobel BE, 251, 415 Soler-Soler J. 895 Sondheimer HM, 513 Sonnenblick EH, 121, 342, 1256 Sopko J, 129 Sorensen SG, 612 St. John Sutton MG, 790, 1050 Stamler J, 401, 1308 Stamler R, 1308 Staniloff H, 251 Stark J, 272 Starkey IR, 1322 Starling MR, 612 Steckley RA, 1332 Steingart R, 149 Stertzer SH, 693 Stevens E, 1308 Stinson EB, 1025, 1100 Stirling GR, 972 Stone HL, 874 Stone LJ, 1110 Stone P, 903, 1346 Stratton JR, 33, 156, 1287 Strauss HW, 649 Strauss WE, 902 Streeten DHP, 513 Strom J, 226 Susmano A, 478 Swan CS II, 470 Swan HJC, 143, 397, 914, 1185 Swanson DP, 1002 Swerdlow CD, 1205

Topic N, 820
Torizuka K, 994
Tosone S, 49
Trobaugh GB, 627
Tu'meh S, 638
Tucker CR, 1025
Turino GM, 249
Turley K, 253, 1129
Turner DA, 1113
Turner-Tamiyasu K, 447
Turpie AGG, 327
Tyson GS, 108

U

Ueshima H, 519 Ulmer D, 83 Uren RF, 804

1

Valdes-Cruz L, 1070 Vallin H, 1137 van der Bel-Kahn J, 14 van Eenige MJ, 527 Van Kirk OC, 370 Vandenbossche J-L, 680 Vandongen R, 60, 515 Varnauskas E, 1349 Vatner SF, 579, 1154 Ventura HO, 55 Vezeridis MP, 235 Viener A, 923 Visser FC, 527 Voelker W, 361 Von Behren PL, 1113 Vrobel TR, 555

T

Tajik AJ, 284 Takamatsu T, 6 Takaro T, 14 Takayama Y, 519 Tamaki N, 994 Tamaki S, 994 Tan ATH, 574 Tanigaki M, 519 Tasto DL, 83 Taylor A, 1136 Taylor GJ, 732 Taylor JFN, 272 Tei C, 665 Temkin LP, 1034 Terdiman R, 226 Thanavaro S, 742 Théroux P, 588 Thiele BL, 1287 Thompson L, 83 Thomsen J, 14 Thoresen CE, 83 Tickner EG, 166 Tiefenbrunn AJ, 680

Sze DY, 1205

Szlachcic J, 588, 695

W

Wackers FJ, 748 Wagner GS, 251 Wagner HO, 303 Wagner WF, 717 Wagniart P, 23 Waldo AL, 847 Walker WJ, 480 Wallace AG, 100 Walter PD, 537 Warner R, 422 Waters DD, 588, 695 Watson DD, 732 Waugh D, 917 Weaver WD, 212 Weber KT, 1262 Weber PC, 44 Weiler-Ravell D, 710 Weinberg MA, 748 Weiner DA, 569 Weinstein GS, 1349 Weisfeldt ML, 841, 898, 1133 Weiss MB, 537 Weksler BB, 1299

Wellens HJJ, 800 Werner JA, 627 Westerman GR, 1094 Westein L, 548 Wexler LF, 235 Weyman AE, 1065 Wigle ED, 1059, 1087 Wilkinson PR, 1211 Williams DO, 593, 693 Williams PT, 77 Williams RS, 100 Willis WH Jr, 926 Winkle RA, 439, 1205 Winkler JV, 297 Wolf NM, 252 Wolfstein R, 1185 Wong M, 665 Wooley CF, 288 Wu D, 454 Wynne J, 638 Yoshida A, 994 Y-Rit J, 1150 Yui Y, 994

Y

Yano J, 1150 Yellin EL, 226 Yin FCP, 1168 Yoran C, 121, 226 Zaret BL, 748 Zinger A, 1124 Zipes DP, 187 Zorn GL Jr, 847 Zuberbuhler JR, 258

Z

SUBJECT INDEX

A

Acebutolol

Effects of acebutolol on myocardial infarct extension: a randomized electrocardiographic, enzymatic and angiographic study, 986

Adenosine

Myocardial lactate and adenosine metabolite production as indicators of exercise-induced myocardial ischemia in the dog. 555

Treatment of paroxysmal supraventricular tachycardia in infancy with digitalis, adenosine-5'-triphosphate, and verapamil: a comparative study, 504

Afterload

Afterload mismatch and preload reserve in chronic aortic regurgitation, 826

Aging

Lipomatous hypertrophy of the interatrial septum: in vivo diagnosis, 470

Airway pressure

Cardiopulmonary interactions. Letter and response, 1347

The effects of airway pressure on cardiac function in intact dogs and man, 108

Alcohol

Effects of alcohol use and other aspects of lifestyle on blood pressure levels and prevalence of hypertension in a working population, 60 The pressor effect of moderate alcohol consumption in man: a search

for mechanisms, 515 American Heart Association

AHA diet recommendations. Letter, 480

Amiodarone

Pharmacokinetic significance of serum reverse T_3 levels during amiodarone treatment: a potential method for monitoring chronic drug therapy, 202

Aneurysm, aortic

Two-dimensional echocardiographic evaluation of aneurysms of the descending thoracic aorta, 1045

Aneurysm, atrial

Congenital aneurysms of the left atrium: recognition by cross-sectional echocardiography, 1065

Aneurysm, atrial septal

Atrial septal aneurysm and midsystolic click. Letter, 680

Aneurysm, coronary artery

Aneurysms of the coronary arteries in Kawasaki disease. An angiographic study of 30 cases, 6

Angina pectoris

The additive antianginal action of oral nifedipine in patients receiving propranolol. Magnitude and duration of effect, 710

A double-blind randomized trial of propranolol and verapamil in the treatment of effort angina, 574

Ejection fraction response to exercise in patients with chest pain, coronary artery disease and normal resting ventricular function, 643

European Coronary Surgery Study. Letter and response, 1349

Evaluation of antianginal drugs. Letter and response, 902 Increased exercise tolerance and reduced electrocardiographic ischemic with dilicious in estimate with the control of the contro

mia with diltiazem in patients with stable angina pectoris, 23 Serial thallium-201 myocardial imaging after dipyridamole infusion: diagnostic utility in detecting coronary stenoses and relationship to regional wall motion, 649

Sex differences in obstructive coronary artery disease in patients 65 years of age or older with angina pectoris, 926

Treatment of stable angina of effort with verapamil: a double-blind, placebo-controlled randomized crossover study, 569

Angina, unstable

The effect of intraaortic balloon counterpulsation on regional myocardial blood flow and oxygen consumption in the presence of coronary artery stenosis in patients with unstable angina, 593

Angina, variant

Clinical characteristics associated with sudden death in patients with variant angina, 88

Failure of thromboxane A_2 blockade to prevent attacks of vasospastic angina, 702

Pathophysiology of coronary artery spasm, 705

Percutaneous transluminal coronary angioplasty in patients with variant angina, 695

Thallium-201 uptake in variant angina: probable demonstration of myocardial reactive hyperemia in man, 1332

Angiography

Angiocardiography of multiple ventricular septal defects in infancy, 1094

Precordial ST-segment depression during acute inferior myocardial infarction: clinical, scintigraphic and angiographic correlations, 732

Preoperative angiographic diagnosis of primary sarcoma of the pulmonary artery, 72

Prognostic value of exercise testing, coronary angiography and left ventriculography 6-8 weeks after myocardial infarction, 527

Radionuclide angiographic assessment of global and segmental left ventricular function at rest and during exercise after coronary artery bypass graft surgery, 972

"Sawfish" systolic narrowing of the left anterior descending coronary artery: an angiographic sign of hypertrophic cardiomyopathy, 800

Sequence and timing of ventricular wall motion in patients with bundle branch block. Assessment by radionuclide cineangiography, 1113

Significance of the angiographic morphology of localized coronary stenoses: histopathologic correlations, 316

Angiotensin-converting enzyme

Regional and systemic metabolic effects of angiotensin-converting enzyme inhibition during exercise in patients with severe heart failure, 1256

Animal studies

Effects of physical training on myocardial vascularity and perfusion,

Antibiotics

Antibiotic prophylaxis of subacute bacterial endocarditis for adult patients by dentists in Dade County, Florida, 1110

Aorta

Afterload mismatch and preload reserve in chronic aortic regurgitation, 826

Platelet deposition on Dacron aortic bifurcation grafts in man: quantitation with indium-111 platelet imaging, 1287

Preoperative and postoperative renin levels in coarctation of the aorta, 513

Two-dimensional echocardiographic evaluation of aneurysms of the descending thoracic aorta, 1045

Aortic insufficiency

Physiologic mechanisms in aortic insufficiency. I. The effect of changing heart rate on flow dynamics. II. Determinants of Austin Flint murmur, 226

Aortic valve

The effect of aortic valve replacement on survival, 1105

Arrhythmia See also Fibrillation, atrial

Ambulatory arrhythmias in resuscitated victims of cardiac arrest, 212
Antiarrhythmic drug combinations in the treatment of ventricular tachycardia. Efficacy and electrophysiologic effects, 1205

Intraoperative electrophysiologic mapping of the ventricles during sinus rhythm in patients with a previous myocardial infarction. Identification of the electrophysiologic substrate of ventricular arrhythmias, 847

Intrauterine and postnatal atrial fibrillation in the Wolff-Parkinson-White syndrome, 1124

Suppression of ventricular arrhythmias by propafenone, a new antiar-

rhythmic agent, during acute myocardial infarction in the conscious dog, 1190

Torsade de pointes. Letter, 250

Arterial oxygen transport

Arterial oxygenation and arterial oxygen transport in chronic myocardial failure at rest, during exercise and after hydralazine treatment,

Arteriography

Experimental validation of quantitative coronary arteriography for determining pressure-flow characteristics of coronary stenosis, 930

Artery, coronary

Analysis of coronary responses to various doses of intracoronary nitroglycerin, 321

Aneurysms of the coronary arteries in Kawasaki disease. An angiographic study of 30 cases, 6

Comparison of amount and extent of coronary narrowing by atherosclerotic plaque and of myocardial scarring at necropsy in anterior and posterior healed transmural myocardial infarction, 93

The effect of intraaortic balloon counterpulsation on regional myocardial blood flow and oxygen consumption in the presence of coronary artery stenosis in patients with unstable angina, 593

Effects of a calcium-channel antagonist on large and small coronary arteries in conscious dogs, 579

Ejection fraction response to exercise in patients with chest pain, coronary artery disease and normal resting ventricular function, 643

Electrocardiographic localization of coronary artery narrowings: studies during myocardial ischemia and infarction in patients with one-vessel disease, 1168

Irreversible coronary occlusion and ergonovine. Letter and response, 252

Platelet function in coronary artery disease: effects of coronary surgery and sulfinpyrazone, 29

Quantitative effect of early coronary artery reperfusion in baboons. Extent of salvage of the perfusion bed of an occluded artery, 391

Survival in subgroups of patients with left main coronary artery disease. Veterans Administration Cooperative Study of Surgery for Coronary Arterial Occlusive Disease, 14

Survival of medically treated patients in the Coronary Artery Surgery Study (CASS) registry, 562

Tomographic thallium-201 myocardial perfusion scintigrams after maximal coronary artery vasodilation with intravenous dipyridamole. Comparison of qualitative and quantitative approaches, 370

Two-dimensional echocardiography in experimental coronary stenosis. I. Sensitivity and specificity in detecting transient myocardial dyskinesis: comparison with sonomicrometers, 597

Two-dimensional echocardiography in experimental coronary stenosis. II. Relationship between systolic wall thinning and regional myocardial perfusion in severe coronary stenosis, 603

Ultrasonic imaging of the coronary arteries in open-chest humans: evaluation of coronary atherosclerotic lesions during cardiac surgery, 1034

Artery, left anterior descending

"Sawfish" systolic narrowing of the left anterior descending coronary artery: an angiographic sign of hypertrophic cardiomyopathy,

Artery, left circumflex coronary

Native collaterals in the development of collateral circulation after chronic coronary stenosis in mongrel dogs, 303

Artery, pulmonary

Preoperative angiographic diagnosis of primary sarcoma of the pulmonary artery, 672

Artery, sinus node

Sinus node in SIDS. Letter, 681

Atherosclerosis

Comparison of amount and extent of coronary narrowing by atherosclerotic plaque and of myocardial scarring at necropsy in anterior and posterior healed transmural myocardial infarction, 93

High-density lipoprotein subfractions in normolipidemic patients with coronary atherosclerosis, 923

Transluminal angioplasty in experimental atherosclerosis. Analysis for embolization using an in vivo perfusion system, 917

Ultrasonic imaging of the coronary arteries in open-chest humans:

evaluation of coronary atherosclerotic lesions during cardiac surgery, 1034

Atresia, pulmonary

Pulmonary atresia and intact ventricular septum: a revised classification, 266

Pulmonary atresia and intact ventricular septum: surgical management based on a revised classification, 272

Long-term results after atrial repair of transposition of the great arteries in early infancy, 253
Atrioventricular canal defect, partial

Partial atrioventricular canal defect in adults, 284

Atrioventricular node

Electrophysiologic effects of disopyramide in patients with atrioventricular nodal dysfunction, 1211

Atrioventricular pathways, accessory

Changes in ventriculoatrial intervals with bundle branch block aberration during reciprocating tachycardia in patients with accessory atrioventricular pathways, 196

Austin Flint murmur

Physiologic mechanisms in aortic insufficiency. I. The effect of changing heart rate on flow dynamics. II. Determinants of Austin Flint murmur, 226

Autonomic tone

Effect of heart rate and autonomic tone on the QT interval. Letter, 478 Problems of QT measurement. Letter and response, 1137

B

Baboon studies

Quantitative effect of early coronary artery reperfusion in baboons. Extent of salvage of the perfusion bed of an occluded artery, 391

Baroreceptors

Baroreceptor reflex control of heart rate: a predictor of sudden cardiac death, 874

Comparison of techniques for measuring baroreflex sensitivity in

Mechanisms governing the postural response and baroreceptor abnormalities in chronic congestive heart failure: effects of acute and long-term converting-enzyme inhibition, 135

Beta-adrenergic receptor agonists

Pirbuterol, an oral beta-adrenergic receptor agonist in the treatment of chronic cardiac failure, 1262

Beta blockade

Key references: Beta blockers, 1342

Blade atrial septostomy

Blade atrial septostomy: collaborative study, 258

Blood flow

Dickinson Richards Memorial Lecture: A Postscript to Circulation of the Blood: Men and Ideas, 83

Relative lack of coronary blood flow during closed-chest resuscitation in dogs, 297

Uptake of iodine and radionuclides by the infarcted cardiac muscle. Letter and response, 1136

Blood flow, myocardial

Left ventricular myocardial blood flow in multivessel coronary artery disease, 537

Relations between myocardial blood flow and postextrasystolic potentiation in epicardial and endocardial left ventricular regions early after coronary occlusion in dogs, 938

Renin-angiotensin system inhibition in acute myocardial infarction in dogs. Effects on systemic hemodynamics, myocardial blood flow, segmental myocardial function and infarct size, 1249

Blood flow, pulmonary

Evidence of a shared mechanism of vasoconstriction in pulmonary and systemic circulation in hypertension: a possible role of intracellular calcium, 881

Postural changes in pulmonary blood flow in pulmonary hypertension: a noninvasive technique using ventilation-perfusion scans, 621

Blood flow, regional myocardial

The effect of intraaortic balloon counterpulsation on regional myocar-

dial blood flow and oxygen consumption in the presence of coronary artery stenosis in patients with unstable angina, 593

Blood flow, systemic

Evidence of a shared mechanism of vasoconstriction in pulmonary and systemic circulation in hypertension: a possible role of intracellular calcium, 881

Blood flow, transatrial

Foramen ovale/atrial septum area ratio: a marker of transatrial blood flow, 281

Blood pressure

Effects of alcohol use and other aspects of lifestyle on blood pressure levels and prevalence of hypertension in a working population, 60

Electrocardiographic measures of left ventricular hypertrophy in children across the distribution of blood pressure: the Muscatine Study, 428

The pressor effect of moderate alcohol consumption in man: a search for mechanisms, 515

Blood stasis

Regional stasis of blood in the dysfunctional left ventricle: echocardiographic detection and differentiation from early thrombosis, 755

Bradycardia

Deceleration-dependent BBB. Letter, 904

Bronchial asthma

Mechanism of paradoxic pulse in bronchial asthma, 887

Bundle branch block

Changes in ventriculoatrial intervals with bundle branch block aberration during reciprocating tachycardia in patients with accessory atrioventricular pathways, 196

Deceleration-dependent BBB. Letter, 904

The effect of intermittent bundle branch block on the coupling interval of ventricular premature depolarizations, 1120

Sequence and timing of ventricular wall motion in patients with bundle branch block. Assessment by radionuclide cineangiography, 1113

C

Calcium

Calcification of porcine prosthetic heart valves: a radiographic and light microscopic study, 1100

Evidence of a shared mechanism of vasoconstriction in pulmonary and systemic circulation in hypertension: a possible role of intracellular calcium, 881

Calcium-channel blockade

CV response to calcium-entry blocking drugs. Letter, 902

Effects of a calcium-channel antagonist on large and small coronary arteries in conscious dogs, 579

Key references: Calcium-channel blockers in heart disease, 675

Captopril

Mechanisms governing the postural response and baroreceptor abnormalities in chronic congestive heart failure: effects of acute and long-term converting-enzyme inhibition, 135

Regional and systemic metabolic effects of angiotensin-converting enzyme inhibition during exercise in patients with severe heart failure, 1256

Carcinoid heart disease

Carcinoid heart disease: diagnosis by two-dimensional echocardiography, 1059

Cardiac amyloid

Computerized M-mode echocardiographic analysis of left ventricular dysfunction in cardiac amyloid, 790

Cardiac arrest

Ambulatory arrhythmias in resuscitated victims of cardiac arrest, 212

Cardiac contusion

Evaluation of noninvasive tests of cardiac damage in suspected cardiac contusion, 627

Cardiac output

Borderline hypertension and obesity: two prehypertensive states with elevated cardiac output, 55

The effects of airway pressure on cardiac function in intact dogs and man, 108

Radionuclide ventriculography for assessment of absolute right and left ventricular volumes in children, 811

Cardiac tamponade

Left ventricular volume and function during relief of cardiac tamponade in man, 149

Cardiology

1982, the year of tropical cardiology, 683A

James B. Herrick Lecture: Remarks on the present state and future of academic cardiology, 487

Cardiomyopathy

Animal model of congestive cardiomyopathy. Letter and response, 1349

An animal model of congestive (dilated) cardiomyopathy: dilatation and hypertrophy of the heart in the chronic stage in DBA/2 mice with myocarditis caused by encephalomyocarditis virus, 355

Comparison of thallium-201 scanning in idiopathic dilated cardiomyopathy and severe coronary artery disease, 804

Hemodynamic effects of prenalterol in patients with ischemic heart disease and congestive cardiomyopathy, 361

Microvascular spasm in the cardiomyopathic Syrian hamster: a preventable cause of focal myocardial necrosis, 342

Cardiomyopathy, hypertrophic

The natural history of left ventricular hypertrophy in hypertrophic cardiomyopathy: an electrocardiographic study, 1233

Nifedipine in hypertrophic cardiomyopathy. Letter and response, 478 "Sawfish" systolic narrowing of the left anterior descending coronary artery: an angiographic sign of hypertrophic cardiomyopathy, 800

Cardiopulmonary bypass

Neuronal and adrenomedullary catecholamine release in response to cardiopulmonary bypass in man, 49

Cardiopulmonary interactions

Cardiopulmonary interactions. Letter and response, 1347

The effects of airway pressure on cardiac function in intact dogs and man, 108

Cardioversion

Low-energy synchronous cardioversion of ventricular tachycardia using a catheter electrode in a canine model of subacute myocardial infarction, 187

Catecholamines

Neuronal and adrenomedullary catecholamine release in response to cardiopulmonary bypass in man, 49

Plasma catecholamines, platelet aggregation and associated thromboxane formation after physical exercise, smoking or norepinephrine infusion, 44

Children

Blade atrial septostomy: collaborative study, 258

Cardiac conduction abnormalities in children with Duchenne's progressive muscular dystrophy: electrocardiographic features and morphologic correlates, 853

Cross-sectional echocardiographic diagnosis and subclassification of univentricular hearts: imaging studies of atrioventricular valves, septal structures and rudimentary outflow chambers, 1070

Electrocardiographic measures of left ventricular hypertrophy in children across the distribution of blood pressure: the Muscatine Study, 428

Foramen ovale/atrial septum area ratio: a marker of transatrial blood flow, 281

Preoperative and postoperative renin levels in coarctation of the aorta, 513

Radionuclide ventriculography for assessment of absolute right and left ventricular volumes in children, 811

Ventriculocoronary connections in hypoplastic left hearts: an autopsy microscopic study, 1078

Cholesterol

Changes in cholesterol and triglyceride as predictors of ischemic heart disease in men, 724

Cholesterol after angioplasty. Letter and response, 1139

Dietary intake and serum total cholesterol level: their relationship to different lifestyles in several Japanese populations, 519 High-density lipoprotein cholesterol and prognosis after myocardial

infarction, 1176 Cigarette smoking

Plasma catecholamines, platelet aggregation and associated throm-

boxane formation after physical exercise, smoking or norepinephrine infusion, 44

Relationship of education to major risk factors and death from coronary heart disease, cardiovascular disease and all causes, 1308 Clinimetrics

The Jones criteria and the challenges of clinimetrics, 1

Clonidine

Possible involvement of an endogenous opioid in the antihypertensive effect of clonidine in patients with essential hypertension,

Coarctation, aortic

Preoperative and postoperative renin levels in coarctation of the aorta. 513

Transcutaneous angioplasty of experimental aortic coarctation, 1280

"Myxomatous" mitral valves: collagen dissolution as the primary defect, 288

Collateral circulation

Coronary collateral function during exercise, 309

Native collaterals in the development of collateral circulation after chronic coronary stenosis in mongrel dogs, 303

Cardiac conduction abnormalities in children with Duchenne's progressive muscular dystrophy: electrocardiographic features and morphologic correlates, 853

Effects of oral disopyramide phosphate on induction and sustenance of atrioventricular reentrant tachycardia incorporating retrograde accessory pathway conduction, 454

The sinus node electrogram in patients with and without sick sinus syndrome: techniques and correlation between directly measured and indirectly estimated smoatrial conduction time, 864

Synchronicity of contraction in patients with CAD. Letter and response, 248

Congestive heart failure

Arterial oxygenation and arterial oxygen transport in chronic myocardial failure at rest, during exercise and after hydralazine treatment,

Arterial-venous nitroglycerin gradient during intravenous infusion in man, 1273

Hemodynamic differences between supine and upright exercise in patients with congestive heart failure, 820

Mechanisms governing the postural response and baroreceptor abnormalities in chronic congestive heart failure: effects of acute and long-term converting-enzyme inhibition, 135

Pirbuterol, an oral beta-adrenergic receptor agonist, in the treatment of chronic cardiac failure, 1262

Regional and systemic metabolic effects of angiotensin-converting enzyme inhibition during exercise in patients with severe heart failure, 1256

Conner, Lewis A., Memorial Lecture

Choices that must not be made, 481

Contractility Assessment of LV contractility. Letter and response, 1139

Contraction

Contractile reserve and left ventricular function in regional myocardial ischemia in the dog, 121

The left ventricular end-systolic pressure-dimension relation in patients with thalassemia major. A new noninvasive method for assessing contractile state, 980

Synchronicity of contraction in patients with CAD. Letter and response, 248

Converting-enzyme inhibition

Mechanisms governing the postural response and baroreceptor abnormalities in chronic congestive heart failure: effects of acute and long-term converting-enzyme inhibition, 135

Coronary artery bypass surgery

Accuracy of serial myocardial perfusion scintigraphy with thallium-201 for prediction of graft patency early and late after coronary artery bypass surgery. A controlled prospective study, 1017

Acute coronary artery occlusion during percutaneous transluminal coronary angioplasty: reopening by intracoronary streptokinase before emergency coronary artery surgery to prevent myocardial infarction, 1325

European Coronary Surgery Study. Letter and response, 1349 The influence of residual disease after coronary bypass on the 5-year survival rate of 1274 men with coronary artery disease, 717

Neuronal and adrenomedullary catecholamine release in response to cardiopulmonary bypass in man, 49

Perioperative myocardial infarction: late clinical course after coronary artery bypass surgery, 1185

Platelet function in coronary artery disease: effects of coronary surgery and sulfinpyrazone, 29

Radionuclide angiographic assessment of global and segmental left ventricular function at rest and during exercise after coronary artery bypass graft surgery, 972

Two-dimensional echocardiographic analysis of segmental left ventricular wall motion before and after coronary artery bypass surgery, 1025

Ultrasonic imaging of the coronary arteries in open-chest humans: evaluation of coronary atherosclerotic lesions during cardiac surgery, 1034

Coronary artery disease

Ambulatory arrhythmias in resuscitated victims of cardiac arrest, 212 Comparison of thallium-201 scanning in idiopathic dilated cardiomyopathy and severe coronary artery disease, 804

The decline in coronary mortality. Letter and response, 1346 Editorial: Thrombolysis in acute myocardial infarction: treatment of

the underlying coronary artery disease, 914 Effects of propranolol therapy on platelet release and prostaglandin

generation in patients with coronary heart disease, 1294 Ejection fraction response to exercise in patients with chest pain, coronary artery disease and normal resting ventricular function,

Electrocardiographic localization of coronary artery narrowings: studies during myocardial ischemia and infarction in patients with one-vessel disease, 1168

Exercise and CAD. Letter and response, 901

Hospital care for acute myocardial infarction. Letter and response,

An improbable criterion of normality. Letter, 681

Improved left ventricular diastolic filling in patients with coronary artery disease after percutaneous transluminal coronary angioplasty, 1159

The incidence and clinical significance of epicardial late potentials in patients with recurrent sustained ventricular tachycardia and coronary artery disease, 1199

Incremental value of the exercise test for diagnosing the presence or absence of coronary artery disease, 945

The independent value of exercise thallium scintigraphy to physicians, 953

The influence of residual disease after coronary bypass on the 5-year survival rate of 1274 men with coronary artery disease, 717 Left ventricular myocardial blood flow in multivessel coronary artery

disease, 537 The natural history of coronary heart disease: prognostic factors after recovery from myocardial infarction in 2789 men. The 5-year findings of the Coronary Drug Project, 401

Platelet function in coronary artery disease: effects of coronary surgery and sulfinpyrazone, 29

Platelet release and thromboxane synthesis in symptomatic coronary artery disease, 327

Relationship of education to major risk factors and death from coronary heart disease, cardiovascular diseases and all causes, 1308

Sex differences in obstructive coronary artery disease in patients 65 years of age or older with angina pectoris, 926

Survival in subgroups of patients with left main coronary artery disease. Veterans Administration Cooperative Study of Surgery for Coronary Arterial Occlusive Disease, 14

Survival of medically treated patients in the Coronary Artery Surgery Study (CASS) registry, 562

Synchronicity of contraction in patients with CAD. Letter and response, 248

Coronary artery occlusion

Acute coronary artery occlusion during percutaneous transluminal coronary angioplasty: reopening by intracoronary streptokinase before emergency coronary artery surgery to prevent myocardial infarction, 1325

Myocardial function in areas of heterogeneous perfusion after coronary artery occlusion in conscious dogs, 1154

Coronary artery spasm

Ergonovine and coronary spasm. Letter, 680

Irreversible coronary occlusion and ergonovine. Letter and response, 252

Pathophysiology of coronary artery spasm, 705

Coronary Artery Surgery Study

Survival of medically treated patients in the Coronary Artery Surgery Study (CASS) registry, 562

Coronary Drug Project

High-density lipoprotein cholesterol and prognosis after myocardial infarction, 1176

The natural history of coronary heart disease: prognostic factors after recovery from myocardial infarction in 2789 men. The 5-year findings of the Coronary Drug Project, 401

Coronary vasospasm

Failure of thromboxane A_2 blockade to prevent attacks of vasospastic angina, 702

Pathophysiology of coronary artery spasm, 705

Coupling interval

The effect of intermittent bundle branch block on the coupling interval of ventricular premature depolarizations, 1120

Creatine kinase

Estimation of infarct size by myocardial emission computed tomography with thallium-201 and its relation to creatine kinase-MB release after myocardial infarction in man, 994

D

Deep vein thrombosis

Indium-111-labeled platelets: effect of heparin on uptake by venous thrombi and relationship to the activated partial thromboplastin time. 632

Dentists

Antibiotic prophylaxis of subacute bacterial endocarditis for adult patients by dentists in Dade County, Florida, 1110

Diet

AHA diet recommendations. Letter, 480

Dietary intake and serum total cholesterol level: their relationship to different lifestyles in several Japanese populations, 519

Does dietary health education reach only the privileged? The Stanford Three Community Study, 77

Digitalis

Treatment of paroxysmal supraventricular tachycardia in infancy with digitalis, adenosine-5'-triphosphate, and verapamil: a comparative study, 504

Digoxin

Digoxin-quinidine interaction in patients with chronic renal failure,

Diltiazem

Increased exercise tolerance and reduced electrocardiographic ischemia with diltiazem in patients with stable angina pectoris, 23

Dipyridamole

Serial thallium-201 myocardial imaging after dipyridamole infusion: diagnostic utility in detecting coronary stenoses and relationship to regional wall motion, 649

Tomographic thallium-201 myocardial perfusion scintigrams after maximal coronary artery vasodilation with intravenous dipyridamole. Comparison of qualitative and quantitative approaches, 370

Disopyramid

The cardiac effects of d- and l-disopyramide in normal subjects: a noninvasive study, 447

The cellular electrophysiologic mechanism of the dual actions of disopyramide on rabbit sinus node function, 1216

Effects of oral disopyramide phosphate on induction and sustenance of atrioventricular reentrant tachycardia incorporating retrograde accessory pathway conduction, 454

Electrophysiologic effects of disopyramide in patients with atrioventricular nodal dysfunction, 1211

Dog studies

Assessment of myocardial perfusion abnormalities with contrast-enhanced two-dimensional echocardiography, 166

- Baroreceptor reflex control of heart rate: a predictor of sudden cardiac death, 874
- Contractile reserve and left ventricular function in regional myocardial ischemia in the dog, 121
- Divergent effects of inotropic stimulation on the ischemic and severely depressed reperfused myocardium, 397
- The effect of ibuprofen on accumulation of indium-111-labeled platelets and leukocytes in experimental myocardial infarction, 1002
- Effects of a calcium-channel antagonist on large and small coronary arteries in conscious dogs, 579
- The effects of airway pressure on cardiac function in intact dogs and man, 108
- Electrotonic modulation of pacemaker activity. Further biological and mathematical observations on the behavior of modulated parasystole, 1225
- Enhanced detection of the evolution of tissue changes after acute myocardial infarction using color-encoded two-dimensional echocardiography, 764
- Experimental validation of quantitative coronary arteriography for determining pressure-flow characteristics of coronary stenosis,
- Indium-111-labeled platelets: effect of heparin on uptake by venous thrombi and relationship to the activated partial thromboplastin time, 632
- Influence of the extent of the zone at risk on the effectiveness of drugs in reducing infarct size, 181
- Intermittent brief periods of ischemia have a cumulative effect and may cause myocardial necrosis, 1150
- Low-energy synchronous cardioversion of ventricular tachycardia using a catheter electrode in a canine model of subacute myocardial infarction, 187
- Myocardial function in areas of heterogeneous perfusion after coronary artery occlusion in conscious dogs, 1154
- Myocardial lactate and adenosine metabolite production as indicators of exercise-induced myocardial ischemia in the dog, 555
- Native collaterals in the development of collateral circulation after chronic coronary stenosis in mongrel dogs, 303
- Physiologic mechanisms in aortic insufficiency. I. The effect of changing heart rate on flow dynamics. II. Determinants of Austin Flint murmur. 226
- Postextrasystolic potentiation and echocardiography. The effect of varying basic heart rate, extrasystolic coupling interval and postex-trasystolic interval, 771
- Quantification of experimental myocardial infarction using nuclear magnetic resonance imaging and paramagnetic ion contrast enhancement in excised canine hearts, 1012
- Relations between myocardial blood flow and postextrasystolic potentiation in epicardial and endocardial left ventricular regions early after coronary occlusion in dogs, 938
- The relationship of the first heart sound to mitral valve closure in dogs, 235
- Relative lack of coronary blood flow during closed-chest resuscitation in dogs, 297
- Renin-angiotensin system inhibition in acute myocardial infarction in dogs. Effects on systemic hemodynamics, myocardial blood flow, segmental myocardial function and infarct size, 1249
- Serial evaluation of myocardial thickening and thinning in acute experimental infarction: identification and quantification using two-dimensional echocardiography, 174
- Suppression of ventricular arrhythmias by propafenone, a new antiarrhythmic agent, during acute myocardial infarction in the conscious dog. A comparative study with lidocaine, 1190
- Two-dimensional echocardiography in experimental coronary stenosis. I. Sensitivity and specificity in detecting transient myocardial dyskinesis: comparison with sonomicrometers, 597
- Two-dimensional echocardiography in experimental coronary stenosis. II. Relationship between systolic wall thinning and regional myocardial perfusion in severe coronary stenosis, 603

Dopamine

Divergent effects of inotropic stimulation on the ischemic and severely depressed reperfused myocardium, 397

Doppler technique

Assessment of transesophageal pulsed Doppler echocardiography in the detection of mitral regurgitation, 84 Diagnosis of functional tricuspid insufficiency by pulsed-wave Doppler ultrasound, 1315

Evaluation of tricuspid regurgitation by pulsed Doppler and twodimensional echocardiography, 777

Duchenne's progressive muscular dystrophy

Cardiac conduction abnormalities in children with Duchenne's progressive muscular dystrophy: electrocardiographic features and morphologic correlates, 853

E

Echocardiography

Assessment of myocardial perfusion abnormalities with contrast-enhanced two-dimensional echocardiography, 166

Assessment of transesophageal pulsed Doppler echocardiography in the detection of mitral regurgitation, 784

Carcinoid heart disease: diagnosis by two-dimensional echocardiography, 1059

Computerized M-mode echocardiographic analysis of left ventricular dysfunction in cardiac amyloid, 790

Congenital aneurysms of the left atrium: recognition by cross-sectional echocardiography, 1065

Cross-sectional echocardiographic diagnosis and subclassification of univentricular hearts: imaging studies of atrioventricular valves, septal structures and rudimentary outflow chambers, 1070

Detection of left ventricular thrombus by two-dimensional echocardiography: sensitivity, specificity, and causes of uncertainty, 156

Diagnosis of functional tricuspid insufficiency by pulsed-wave Doppler ultrasound, 1315

Echocardiographic identification of right-sided cardiac intracavitary thromboembolus in massive pulmonary embolism, 1323

Enhanced detection of the evolution of tissue changes after acute myocardial infarction using color-encoded two-dimensional echocardiography, 764

Epicardial mapping of segmental myocardial function: an echocardiographic method applicable in man, 1050

Evaluation of infradiaphragmatic total anomalous pulmonary venous connection with two-dimensional echocardiography, 1129

Evaluation of tricuspid regurgitation by pulsed Doppler and twodimensional echocardiography, 777

A new two-dimensional echocardiographic technique for evaluating right ventricular size and performance in patients with obstructive lung disease, 612

Postextrasystolic potentiation and echocardiography. The effect of varying basic heart rate, extrasystolic coupling interval and postex-trasystolic interval, 771

Regional stasis of blood in the dysfunctional left ventricle: echocardiographic detection and differentiation from early thrombosis, 753

Serial evaluation of myocardial thickening and thinning in acute experimental infarction: identification and quantification using two-dimensional echocardiography, 174

Two-dimensional echocardiographic analysis of segmental left ventricular wall motion before and after coronary artery bypass surgery, 1025

Two-dimensional echocardiographic evaluation of aneurysms of the descending thoracic aorta, 1045

Two-dimensional echocardiography in experimental coronary stenosis. I. Sensitivity and specificity in detecting transient myocardial dyskinesis: comparison with sonomicrometers, 597

Two-dimensional echocardiography in experimental coronary stenosis. II. Relationship between systolic wall thinning and regional myocardial perfusion in severe coronary stenosis, 603

Ultrasonic imaging of the coronary arteries in open-chest humans: evaluation of coronary atherosclerotic lesions during cardiac surgery, 1034

Education

Relationship of education to major risk factors and death from coronary heart disease, cardiovascular diseases and all causes, 1308 Election fraction

Ejection fraction response to exercise in patients with chest pain,

coronary artery disease and normal resting ventricular function, 643

Spontaneous changes in left ventricular function over the first 24 hours of acute myocardial infarction: implications for evaluating early therapeutic interventions, 748

Electrical stimulation

Low-energy synchronous cardioversion of ventricular tachycardia using a catheter electrode in a canine model of subacute myocardial infarction, 187

Electrocardiography

Electrocardiographic localization of coronary artery narrowings: studies during myocardial ischemia and infarction in patients with one-vessel disease, 1168

Electrocardiographic measures of left ventricular hypertrophy in children across the distribution of blood pressure: the Muscatine Study, 428

Evaluation of noninvasive tests of cardiac damage in suspected cardiac contusion, 627

Exercise electrocardiography and myocardial scintigraphy in the serial evaluation of the results of percutaneous transluminal coronary angioplasty, 380

Improved electrocardiographic criteria for the diagnosis of inferior myocardial infarction, 422

The natural history of left ventricular hypertrophy in hypertrophic cardiomyopathy: an electrocardiographic study, 1233

Electron microscopy

A scanning and transmission electron microscopic study of an infected endocardial pacemaker lead, 1339

Electrophysiology

Antiarrhythmic drug combinations in the treatment of ventricular tachycardia. Efficacy and electrophysiologic effects, 1205

The cellular electrophysiologic mechanism of the dual actions of disopyramide on rabbit sinus node function, 1216

Electrophysiologic effects of disopyramide in patients with atrioventricular nodal dysfunction, 1211

Intraoperative electrophysiologic mapping of the ventricles during sinus rhythm in putents with a previous myocardial infarction. Identification of the electrophysiologic substrate of ventricular arrhythmias, 847

Embolization

Transluminal angioplasty in experimental atherosclerosis. Analysis for embolization using an in vivo perfusion system, 917

Emission computed tomography

Estimation of infarct size by myocardial emission computed tomography with thallium-201 and its relation to creatine kinase-MB release after myocardial infarction in man, 994

Encephalomyocarditis

Animal model of congestive cardiomyopathy. Letter and response, 1349

An animal model of congestive (dilated) cardiomyopathy: dilatation and hypertrophy of the heart in the chronic stage in DBA/2 mice with myocarditis caused by encephalomyocarditis virus, 355

End-systolic pressure dimension

The left ventricular end-systolic pressure-dimension relation in patients with thalassemia major. A new noninvasive method for assessing contractile state, 980

Endocarditis

Antibiotic prophylaxis of subacute bacterial endocarditis for adult patients by dentists in Dade County, Florida, 1110

Endothelium

The interaction of sodium nitroprusside with human endothelial cells and platelets: nitroprusside and prostacyclin synergistically inhibit platelet function, 1299

Enzymes, cardiac

Evaluation of noninvasive tests of cardiac damage in suspected cardiac contusion, 627

Epicardium

The incidence and clinical significance of epicardial late potentials in patients with recurrent sustained ventricular tachycardia and coronary artery disease, 1199

Retraction: border zone salvage by flurbiprofen. Letter, 1136

Epinephrine

Neuronal and adrenomedullary catecholamine release in response to cardiopulmonary bypass in man, 49

Ergonovine

Ergonovine and coronary spasm. Letter, 680

Irreversible coronary occlusion and ergonovine. Letter and response, 252

Pathophysiology of coronary artery spasm, 705

Erythrocytes

Effect of exercise on erythrocyte count and blood activity concentration after technetium-99m in vivo red blood cell labeling, 638

European Coronary Surgery Study

European Coronary Surgery Study. Letter and response, 1349

Exercise testing

Arterial oxygenation and arterial oxygen transport in chronic myocardial failure at rest, during exercise and after hydralazine treatment, 143

Coronary collateral function during exercise, 309

A double-blind randomized trial of propranolol and verapamil in the treatment of effort angina, 574

Effect of exercise on erythrocyte count and blood activity concentration after technetium-99m in vivo red blood cell labeling, 638

Exercise electrocardiography and myocardial scintigraphy in the serial evaluation of the results of percutaneous transluminal coronary angioplasty, 380

Hemodynamic differences between supine and upright exercise in patients with congestive heart failure, 820

Increased exercise tolerance and reduced electrocardiographic ischemia with diltiazem in patients with stable angina pectoris, 23

Incremental value of the exercise test for diagnosing the presence or absence of coronary artery disease, 945

The independent value of exercise thallium scintigraphy to physi-

cians, 953
Myocardial lactate and adenosine metabolite production as indicators

Myocardial lactate and adenosine metabolite production as indicators of exercise-induced myocardial ischemia in the dog, 555

Normal exercise capacity in patients with severe left ventricular dysfunction: compensatory mechanisms, 129

Plasma catecholamines, platelet aggregation and associated thromboxane formation after physical exercise, smoking or norepinephrine infusion, 44

Prognostic value of exercise testing, coronary angiography and left ventriculography 6–8 weeks after myocardial infarction, 27

Radionuclide angiographic assessment of global and segmental left ventricular function at rest and during exercise after coronary artery bypass graft surgery, 972

Regional and systemic metabolic effects of angiotensin-converting enzyme inhibition during exercise in patients with severe heart failure, 1256

Studies of platelet factor 4 and beta thromboglobulin release during exercise: lack of relationship to myocardial ischemia, 33

Treatment of stable angina of effort with verapamil: a double-blind, placebo-controlled randomized crossover study, 569

Exercise training

Effects of exercise training on ventricular function in patients with recent myocardial infarction, 100

Effects of physical training on myocardial vascularity and perfusion,

Exercise and CAD. Letter and response, 901

Exercise and lipoprotein levels. Letter and response, 1346

Extrasystolic coupling interval

Postextrasystolic potentiation and echocardiography. The effect of varying basic heart rate, extrasystolic coupling interval and postextrasystolic interval, 71

F

Family sampling

Intrafamilial associations of lipids and lipoproteins in kindreds with hypertriglyceridemic probands: the Princeton School Family Study 67

Fibrillation, atrial

Intrauterine and postnatal atrial fibrillation in the Wolff-Parkinson-White syndrome, 1124

Fishman, A.P.

Dickinson Richards Memorial Lecture: A Postscript to Circulation of the Blood: Men and Ideas, 683

Flurbiprofen

Retraction: border zone salvage by flurbiprofen. Letter, 1136

Foramen ovale

Foramen ovale/atrial septum area ratio: a marker of transatrial blood flow. 281

Functional class

Philosophy of the New York Heart Association regarding assessment of cardiovascular function. Letter, 249

G

Graft patency

Accuracy of serial myocardial perfusion scintigraphy with thallium-201 for prediction of graft patency early and late after coronary artery bypass surgery. A controlled prospective study, 1017

Grafts

Platelet deposition on Dacron aortic bifurcation grafts in man: quantitation with indium-111 platelet imaging, 1287

Guyton, Arthur

Dickinson Richards Memorial Lecture: A Postscript to Circulation of the Blood: Men and Ideas, 683

H

Hamster studies

Microvascular spasm in the cardiomyopathic Syrian hamster: a preventable cause of focal myocardial necrosis, 342

Health education

Does dietary health education reach only the privileged? The Stanford Three Community Study, 77

Heart rate

Baroreceptor reflex control of heart rate: a predictor of sudden cardiac death, 874

Effect of heart rate and autonomic tone on the QT interval. Letter, 478 Physiologic mechanisms in aortic insufficiency. I. The effect of changing heart rate on flow dynamics. II. Determinants of Austin Flint murmur, 226

Postextrasystolic potentiation and echocardiography. The effect of varying basic heart rate, extrasystolic coupling interval and postextrasystolic interval, 771

Problems of QT measurement. Letter and response, 1137

The relationship between ventricular ectopic beat frequency and heart rate, 439

Heart sound, first

The relationship of the first heart sound to mitral valve closure in dogs, 235

Hemodynamic evaluation

Hemodynamic differences between supine and upright exercise in patients with congestive heart failure, 820

Hemodynamic effects of prenalterol in patients with ischemic heart disease and congestive cardiomyopathy, 361

Mechanisms governing the postural response and aroreceptor abnormalities in chronic congestive heart failure: effects of acute and long-term converting-enzyme inhibition, 135

Renin-angiotensin system inhibition in acute myocardial infarction in dogs. Effects on systemic hemodynamics, myocardial blood flow, segmental myocardial function and infarct size, 1249

Heparin

Indium-111-labeled platelets: effect of heparin on uptake by venous thrombi and relationship to the activated partial thromboplastin

Herrick, James B., Lecture

James B. Herrick Lecture: Remarks on the present state and future of academic cardiology, 487 Histopathologic evaluation

Significance of the angiographic morphology of localized coronary stenoses: histopathologic correlations, 316

Holter monitoring

Evaluation of noninvasive tests of cardiac damage in suspected cardiac contusion, 627

Sudden death recorded during Holter monitoring, 218

Hospitalization

Hospital care for acute myocardial infarction. Letter and response, 903

Hyaluronidase

Pharmacologic modification of myocardial ischemia, 548

Hydralazine

Arterial oxygenation and arterial oxygen transport in chronic myocardial failure at rest, during exercise and after hydralazine treatment, 143

Hyperemia

Thallium-201 uptake in variant angina: probable demonstration of myocardial reactive hyperemia in man, 1332

Hypertension

Borderline hypertension and obesity: two prehypertensive states with elevated cardiac output, 55

Comparison of techniques for measuring baroreflex sensitivity in man, 432

Effects of alcohol use and other aspects of lifestyle on blood pressure levels and prevalence of hypertension in a working population, 60

Evidence of a shared mechanism of vasoconstriction in pulmonary and systemic circulation in hypertension: a possible role of intracellular calcium, 881

Possible involvement of an endogenous opioid in the antihypertensive effect of clonidine in patients with essential hypertension, 1268

Postural changes in pulmonary blood flow in pulmonary hypertension: a noninvasive technique using ventilation-perfusion scans, 621

Prostacyclin-induced acute pulmonary vasodilation in primary pulmonary hypertension, 334

Hypertriglyceridemia

Intrafamilial associations of lipids and lipoproteins in kindreds with hypertriglyceridemic probands: the Princeton School Family Study, 67

Hypoplastic left heart syndrome

Ventriculocoronary connections in hypoplastic left hearts: an autopsy microscopic study, 1078

]

Ibuprofen

The effect of ibuprofen on accumulation of indium-111-labeled platelets and leukocytes in experimental myocardial infarction, 1002

Indium-111

The effect of ibuprofen on accumulation of indium-111-labeled platelets and leukocytes in experimental myocardial infarction, 1002 Indium-111-labeled platelets: effect of heparin on uptake by venous thrombi and relationship to the activated partial thromboplastin time, 632

Platelet deposition on Dacron aortic bifurcation grafts in man: quantitation with indium-111 platelet imaging, 1287

Infants

Angiocardiography of multiple ventricular septal defects in infancy, 1094

Blade atrial septostomy: collaborative study, 258

Editorial: The QT interval and sudden infant death syndrome, 502 Long-term results after atrial repair of transposition of the great arteries in early infancy, 253

The QT interval throughout the first 6 months of life: a prospective study, 96

Sinus node in SIDS. Letter, 681

Treatment of paroxysmal supraventricular tachycardia in infancy with digitalis, adenosine-5'-triphosphate, and verapamil: a comparative study, 504

Infarct location

Effect of infarct location on the in-hospital prognosis of patients with first transmural myocardial infarction, 742

Infarct size

Editorial: The stunned myocardium: prolonged, postischemic ventricular function, 1146

Estimation of infarct size by myocardial emission computed tomography with thallium-201 and its relation to creatine kinase-MB release after myocardial infarction in man, 994

Influence of the extent of the zone at risk on the effectiveness of drugs in reducing infarct size, 181

The late prognostic value of acute scintigraphic measurement of myocardial infarction size, 960

QRS scoring system for estimating infarct size. Letter and response,

Quantification of experimental myocardial infarction using nuclear magnetic resonance imaging and paramagnetic ion contrast enhancement in excised canine hearts, 1012

Renin-angiotensin system inhibition in acute myocardial infarction in dogs. Effects on systemic hemodynamics, myocardial blood flow, segmental myocardial function and infarct size, 1249

Retraction: border zone salvage by flurbiprofen. Letter, 1136 Serial evaluation of myocardial thickening and thinning in acute experimental infarction: identification and quantification using two-dimensional echocardiography, 174

Infradiaphragmatic total anomalous pulmonary venous connection

Evaluation of infradiaphragmatic total anomalous pulmonary venous
connection with two-dimensional echocardiography, 1129

Interatrial septum

Lipomatous hypertrophy of the interatrial septum: in vivo diagnosis, 470

Intraaortic balloon counterpulsation

The effect of intraaortic balloon counterpulsation on regional myocardial blood flow and oxygen consumption in the presence of coronary artery stenosis in patients with unstable angina, 593

Intracavitary thromboembolus

Echocardiographic identification of right-sided cardiac intracavitary thromboembolus in massive pulmonary embolism, 1322

Intracoronary streptolysis

Percutaneous transluminal coronary angioplasty immediately after intracoronary streptolysis of transmural myocardial infarction, 905

Uptake of iodine and radionuclides by the infarcted cardiac muscle.

Letter and response, 1136

Ischemic heart disease

Changes in cholesterol and triglyceride as predictors of ischemic heart disease in men, 724

Hemodynamic effects of prenalterol in patients with ischemic heart disease and congestive cardiomyopathy, 361

J

Jones criteria

The Jones criteria and the challenges of clinimetrics, I

Jones, T. Duckett, Memorial Lecture

The Jones criteria and the challenges of clinimetrics, I

K

Kawasaki disease

Aneurysms of the coronary arteries in Kawasaki disease. An angiographic study of 30 cases, 6

L

Lactate

Myocardial lactate and adenosine metabolite production as indicators of exercise-induced myocardial ischemia in the dog, 555

Lamb studies

Transcutaneous angioplasty of experimental aortic coarctation, 1280 Late potentials

The incidence and clinical significance of epicardial late potentials in patients with recurrent sustained ventricular tachycardia and coronary artery disease, 1199

Left atrium

Congenital aneurysms of the left atrium: recognition by cross-sectional echocardiography, 1065

Left main disease

Survival in subgroups of patients with left main coronary artery disease. Veterans Administration Cooperative Study of Surgery for Coronary Arterial Occlusive Disease, 14

Left ventricle

Afterload mismatch and preload reserve in chronic aortic regurgitation, 826

Assessment of LV contractility. Letter and response, 1139

Computerized M-mode echocardiographic analysis of left ventricular dysfunction in cardiac amyloid, 790

Contractile reserve and left ventricular function in regional myocardial ischemia in the dog, 121

Detection of left ventricular thrombus by two-dimensional echocardiography: sensitivity, specificity, and causes of uncertainty, 156 Effect of preload variations on LV performance. Letter and response,

Electrocardiographic measures of left ventricular hypertrophy in children across the distribution of blood pressure: the Muscatine Study. 428

Hemodynamic effects of prenalterol in patients with ischemic heart disease and congestive cardiomyopathy, 361

Improved left ventricular diastolic filling in patients with coronary artery disease after percutaneous transluminal coronary angioplasty, 1159

The left ventricular end-systolic pressure-dimension relation in patients with thalassemia major. A new noninvasive method for assessing contractile state, 980

assessing contractile state, 900 Left ventricular myocardial blood flow in multivessel coronary artery disease, 537

Left ventricular volume and function during relief of cardiac tamponade in man, 149

The natural history of left ventricular hypertrophy in hypertrophic cardiomyopathy: an electrocardiographic study, 1233

Normal exercise capacity in patients with severe left ventricular dysfunction: compensatory mechanisms, 129

Prognostic value of exercise testing, coronary angiography and left ventriculography 6-8 weeks after myocardial infarction, 527

Radionuclide angiographic assessment of global and segmental left ventricular function at rest and during exercise after coronary artery bypass graft surgery, 972

Radionuclide ventriculography for assessment of absolute right and left ventricular volumes in children, 811

Regional stasis of blood in the dysfunctional left ventricle: echocardiographic detection and differentiation from early thrombosis, 755

Relations between myocardial blood flow and postextrasystolic potentiation in epicardial and endocardial left ventricular regions early after coronary occlusion in dogs, 938

Spontaneous changes in left ventricular function over the first 24 hours of acute myocardial infarction: implications for evaluating early therapeutic interventions, 748

Survival of medically treated patients in the Coronary Artery Surgery Study (CASS) registry, 562

Two-dimensional echocardiographic analysis of segmental left ventricular wall motion before and after coronary artery bypass surgery, 1025

Leukocytes

The effect of ibuprofen on accumulation of indium-111-labeled platelets and leukocytes in experimental myocardial infarction, 1002

Lidocaine

Suppression of ventricular arrhythmias by propafenone, a new antiarrhythmic agent, during acute myocardial infarction in the conscious dog. A comparativve study with lidocaine, 1190

Lifestyle

Dietary intake and serum total cholesterol level: their relationship to

different lifestyles in several Japanese populations, 519

Effects of alcohol use and other aspects of lifestyle on blood pressure levels and prevalence of hypertension in a working population, 60

Lipids

Changes in cholesterol and triglyceride as predictors of ischemic heart disease in men, 724

Dietary intake and serum total cholesterol level: their relationship to different lifestyles in several Japanese populations, 519

Intrafamilial associations of lipids and lipoproteins in kindreds with hypertriglyceridemic probands: the Princeton School Family Study, 67

Lipomatous hypertrophy

Lipomatous hypertrophy of the interatrial septum: in vivo diagnosis, 470

Lipoproteins

Exercise and lipoprotein levels. Letter and response, 1346

High-density lipoprotein cholesterol and prognosis after myocardial infarction, 1176

High-density lipoprotein subfractions in normolipidemic patients with coronary atherosclerosis, 923

Intrafamilial associations of lipids and lipoproteins in kindreds with hypertriglyceridemic probands: the Princeton School Family Study, 67

M

Mapping

Epicardial mapping of segmental myocardial function: an echocardiographic method applicable in man, 1050

The incidence and clinical significance of epicardial late potentials in patients with recurrent sustained ventricular tachycardia and coronary artery disease, 1199

Intraoperative electrophysiologic mapping of the ventricles during sinus rhythm in patients with a previous myocardial infarction. Identification of the electrophysiologic substrate of ventricular arrhythmias, 847

Medical management

Survival of medically treated patients in the Coronary Artery Surgery Study (CASS) registry, 562

Metabolic evaluation

Regional and systemic metabolic effects of angiotensin-converting enzyme inhibition during exercise in patients with severe heart failure, 1256

Methylprednisolone

Pharmacologic modification of myocardial ischemia, 548

Microcirculation

The microcirculation of the human heart: end-capillary loops with discrete perfusion fields, 1241

Microvascular spasm

Microvascular spasm in the cardiomyopathic Syrian hamster: a preventable cause of focal myocardial necrosis, 342

Midsystolic click

Atrial septal aneurysm and midsystolic click. Letter, 680

Mitral leaflets

Muscular subaortic stenosis: the temporal relationship between systolic anterior motion of the anterior mitral leaflet and the pressure gradient, 1087

Mitral regurgitation

Assessment of transesophageal pulsed Doppler echocardiography in the detection of mitral regurgitation, 784

Mitral valve

Assessment of transesophageal pulsed Doppler echocardiography in the detection of mitral regurgitation, 784

Myocyte disarray develops in papillary muscles released from normal tension after mitral valve replacement, 841

"Myxomatous" mitral valves: collagen dissolution as the primary defect, 288

Physiologic mechanisms in aortic insufficiency. I. The effect of changing heart rate on flow dynamics. II. Determinants of Austin Flint murmur, 226

The relationship of the first heart sound to mitral valve closure in dogs, 235

Mortality

The decline in coronary mortality. Letter and response, 1346

Effect of infarct location on the in-hospital prognosis of patients with first transmural myocardial infarction, 742

Relationship of education to major risk factors and death from coronary heart disease, cardiovascular diseases and all causes, 1308

Timolol-related reduction in mortality and reinfarction in patients ages 65-75 years surviving acute myocardial infarction, 1179

Mouse studies

An animal model of congestive (dilated) cardiomyopathy: dilatation and hypertrophy of the heart in the chronic stage in DBA/2 mice with myocarditis caused by encephalomyocarditis virus, 355

Muscatine Study

Electrocardiographic measures of left ventricular hypertrophy in children across the distribution of blood pressure: the Muscatine Study, 428

Muscular dystrophy

Cardiac conduction abnormalities in children with Duchenne's progressive muscular dystrophy: electrocardiographic features and morphologic correlates, 853

Myocardial dyskinesis

Two-dimensional echocardiography in experimental coronary stenosis. I. Sensitivity and specificity in detecting transient myocardial dyskinesis: comparison with sonomicrometers, 597

Myocardial failure

Arterial oxygenation and arterial oxygen transport in chronic myocardial failure at rest, during exercise and after hydralazine treatment, 143

Myocardial infarction

Acute coronary artery occlusion during percutaneous transluminal coronary angioplasty: reopening by intracoronary streptokinase before emergency coronary artery surgery to prevent myocardial infarction, 1325

Comparison of amount and extent of coronary narrowing by atherosclerotic plaque and of myocardial scarring at necropsy in anterior and posterior healed transmural myocardial infarction, 93

Editorial: Thrombolysis in acute myocardial infarction: treatment of the underlying coronary artery disease, 914

The effect of ibuprofen on accumulation of indium-111-labeled platelets and leukocytes in experimental myocardial infarction, 1002 Effect of infarct location on the in-hospital prognosis of patients with

first transmural myocardial infarction, 742

Effects of acebutolol on myocardial infarct extension: a randomized electrocardiographic, enzymatic and angiographic study, 986 Effects of exercise training on ventricular function in patients with

recent myocardial infarction, 100

Enhanced detection of the evolution of tissue changes after acute myocardial infarction using color-encoded two-dimensional echocardiography, 764

Estimation of infarct size by myocardial emission computed tomography with thallium-201 and its relation to creatine kinase-MB release after myocardial infarction in man, 994

Feasibility of altering type A behavior pattern after myocardial infarction. Recurrent Coronary Prevention Project Study: methods, baseline results and preliminary findings, 83

High-density lipoprotein cholesterol and prognosis after myocardial infarction, 1176

Hospital care for acute myocardial infarction. Letter and response,

Improved electrocardiographic criteria for the diagnosis of inferior myocardial infarction, 422

Intraoperative electrophysiologic mapping of the ventricles during sinus rhythm in patients with a previous myocardial infarction. Identification of the electrophysiologic substrate of ventricular arrhythmias, 847

The late prognostic value of acute scintigraphic measurement of myocardial infarction size, 960

Low-energy synchronous cardioversion of ventricular tachycardia using a catheter electrode in a canine model of subacute myocardial infarction, 187

The natural history of coronary heart disease: prognostic factors after recovery from myocardial infarction in 2789 men. The 5-year findings of the Coronary Drug Project, 401

Percutaneous transluminal coronary angioplasty immediately after intracoronary streptolysis of transmural myocardial infarction, 905 Perioperative myocardial infarction: late clinical course after coronary artery bypass surgery, 1185

Precordial ST-segment depression during acute inferior myocardial infarction: clinical, scintigraphic and angiographic correlations, 732

Prognostic value of exercise testing, coronary angiography and left ventriculography 6-8 weeks after myocardial infarction, 527

QRS scoring system for estimating infarct size. Letter and response, 251

Quantification of experimental myocardial infarction using nuclear magnetic resonance imaging and paramagnetic ion contrast enhancement in excised canine hearts, 1012

Recurrent myocardial infarction: clinical predictors and prognostic implications, 415

Renin-angiotensin system inhibition in acute myocardial infarction in dogs. Effects on systemic hemodynamics, myocardial blood flow, segmental myocardial function and infarct size, 1249

RV response to MI. Letter and response, 251

Serial evaluation of myocardial thickening and thinning in acute experimental infarction: identification and quantification using two-dimensional echocardiography, 174

Spontaneous changes in left ventricular function over the first 24 hours of acute myocardial infarction: implications for evaluating early therapeutic interventions, 748

Suppression of ventricular arrhythmias by propafenone, a new antiarrhythmic agent, during acute myocardial infarction in the conscious dog. A comparative study with lidocaine, 1190

Timolol-related reduction in mortality and reinfarction in patients ages 65–75 years surviving acute myocardial infarction, 1179 Uptake of iodine and radionuclides by the infarcted cardiac muscle.

Letter and response, 1136

Myocardial ischemia

Contractile reserve and left ventricular function in regional myocardial ischemia in the dog, 121

Divergent effects of inotropic stimulation on the ischemic and severely depressed reperfused myocardium, 397

Editorial: The nitrates and myocardial ischemia, 689

Editorial: The stunned myocardium: prolonged, postischemic ventricular dysfunction, 1146

Electrocardiographic localization of coronary artery narrowings: studies during myocardial ischemia and infarction in patients with one-vessel disease, 1168

Increased exercise tolerance and reduced electrocardiographic ischemia with diltiazem in patients with stable angina pectoris, 23

Intermittent brief periods of ischemia have a cumulative effect and may cause myocardial necrosis, 1150

Myocardial lactate and adenosine metabolite production as indicators of exercise-induced myocardial ischemia in the dog, 555

Pharmacologic modification of myocardial ischemia, 548
Quantitative effect of early coronary artery reperfusion in baboons.
Extent of salvage of the perfusion bed of an occluded artery, 391
Studies of platelet factor 4 and beta thromboglobulin release during exercise: lack of relationship to myocardial ischemia, 3

Myocardial perfusion

Assessment of myocardial perfusion abnormalities with contrast-enhanced two-dimensional echocardiography, 166

Tomographic thallium-201 myocardial perfusion scintigrams after maximal coronary artery vasodilation with intravenous dipyridamole. Comparison of qualitative and quantitative pproaches, 370

Myocardial scarring

Comparison of amount and extent of coronary narrowing by atherosclerotic plaque and of myocardial scarring at necropsy in anterior and posterior healed transmural myocardial infarction, 93

Myocardial vascularity

Effects of physical training on myocardial vascularity and perfusion,

Myocarditis

Animal model of congestive cardiomyopathy. Letter and response, 1349

An animal model of congestive (dilated) cardiomyopathy: dilatation and hypertrophy of the heart in the chronic stage in DBA/2 mice with myocarditis caused by encephalomyocarditis virus, 355

Myocytes

Myocyte disarray develops in papillary muscles released from normal tension after mitral valve replacement, 841

N

Naloxone

Possible involvement of an endogenous opioid in the antihypertensive effect of clonidine in patients with essential hypertension, 1268

Necrosis

Intermittent brief periods of ischemia have a cumulative effect and may cause myocardial necrosis, 1150

Uptake of iodine and radionuclides by the infarcted cardiac muscle. Letter and response, 1136

Neonates

Intrauterine and postnatal atrial fibrillation in the Wolff-Parkinson-White syndrome, 1124

Pulmonary atresia and intact ventricular septum: a revised classification, 266

Pulmonary atresia and intact ventricular septum: surgical management based on a revised classification, 272

New York Heart Association

Philosophy of the New York Heart Association regarding assessment of cardiovascular function. Letter, 249

Nifedipine

The additive antianginal action of oral nifedipine in patients receiving propranolol. Magnitude and duration of effect, 710

Effects of a calcium-channel antagonist on large and small coronary arteries in conscious dogs, 579

Nifedipine in hypertrophic cardiomyopathy. Letter and response, 478 Nitrates

Editorial: The nitrates and myocardial ischemia, 689

Nitroglycerin

Analysis of coronary responses to various doses of intracoronary nitroglycerin, 321

Arterial-venous nitroglycerin gradient during intravenous infusion in man, 1273

Evaluation of antianginal drugs. Letters and response, 902

Nitroprussid

The interaction of sodium nitroprusside with human endothelial cells and platelets: nitroprusside and prostacyclin synergistically inhibit platelet function, 1299

Noninvasive testing

Evaluation of noninvasive tests of cardiac damage in suspected cardiac contusion, 627

An improbable criterion of normality. Letter, 681

Norepinephrine

Neuronal and adrenomedullary catecholamine release in response to cardiopulmonary bypass in man, 49

Plasma catecholamines, platelet aggregation and associated thromboxane formation after physical exercise, smoking or orepinephrine infusion, 44

Norwegian Multicentre Study Group

Timolol-related reduction in mortality and reinfarction in patients ages 65-75 years surviving acute myocardial infarction, 1179

Nuclear cardiology

Editorial: Quantitative imaging in nuclear cardiology, 1141

Nuclear magnetic resonance

Quantification of experimental myocardial infarction using nuclear magnetic resonance imaging and paramagnetic ion contrast enhancement in excised canine hearts, 1012

0

Obesity

Borderline hypertension and obesity: two prehypertensive states with elevated cardiac output, 55

Lipomatous hypertrophy of the interatrial septum: in vivo diagnosis, 470

Opioids

Possible involvement of an endogenous opioid in the antihypertensive effect of clonidine in patients with essential hypertension, 1268

Oxyger

Arterial oxygenation and arterial oxygen transport in chronic myocardial failure at rest, during exercise and after hydralazine treatment, 143

The effect of intraaortic balloon counterpulsation on regional myocardial blood flow and oxygen consumption in the presence of coronary artery stenosis in patients with unstable angina, 593

P

Pacemakers

Electrotonic modulation of pacemaker activity. Further biological and mathematical observations on the behavior of modulated parasystole, 1225

A scanning and transmission electron microscopic study of an infected endocardial pacemaker lead, 1339

Papillary muscles

Myocyte disarray develops in papillary muscles released from normal tension after mitral valve replacement, 841

Paradoxic pulse

Mechanism of paradoxic pulse in bronchial asthma, 887

Paramagnetic ions

Quantification of experimental myocardial infarction using nuclear magnetic resonance imaging and paramagnetic ion contrast enhancement in excised canine hearts, 1012

Parasystole

Electrotonic modulation of pacemaker activity. Further biological and mathematical observations on the behavior of modulated parasystole, 1225

Modulation of parasystolic activity by nonparasystolic beats, 462

Percutaneous transluminal coronary angioplasty

Acute coronary artery occlusion during percutaneous transluminal coronary angioplasty: reopening by intracoronary streptokinase before emergency coronary artery surgery to prevent myocardial infarction, 1325

Cholesterol after angioplasty. Letter and response, 1139

Current Topics: Guidelines for the performance of percutaneous transluminal coronary angioplasty, 693

Exercise electrocardiography and myocardial scintigraphy in the serial evaluation of the results of percutaneous transluminal coronary angioplasty, 380

Improved left ventricular diastolic filling in patients with coronary artery disease after percutaneous transluminal coronary angio-plasty, 1159

Percutaneous transluminal coronary angioplasty immediately after intracoronary streptolysis of transmural myocardial infarction, 905

Percutaneous transluminal coronary angioplasty in patients with variant angina, 695

Transluminal angioplasty in experimental atherosclerosis. Analysis for embolization using an in vivo perfusion system, 917

Perfusion bed

Quantitative effect of early coronary artery reperfusion in baboons. Extent of salvage of the perfusion bed of an occluded artery, 391 **Perfusion fields**

The microcirculation of the human heart: end-capillary loops with discrete perfusion fields, 1241

Perfusion, myocardial

Effects of physical training on myocardial vascularity and perfusion,

Perfusion, regional myocardial

Two-dimensional echocardiography in experimental coronary stenosis. II. Relationship between systolic wall thinning and regional myocardial perfusion in severe coronary stenosis, 603

Pericardial effusion

Huge chronic pericardial effusion caused by *Toxoplasma gondii*, 895 **Phase image**

Synchronicity of contraction in patients with CAD. Letter and response, 248

Pirbuterol

Pirbuterol, an oral beta-adrenergic receptor agonist in the treatment of chronic cardiac failure, 1262

Plasma renin activity

Preoperative and postoperative renin levels in coarctation of the aorta, 513

Platelet factor 4

Studies of platelet factor 4 and beta thromboglobulin release during exercise: lack of relationship to myocardial ischemia, 33

latelets

The effect of ibuprofen on accumulation of indium-I11-labeled platelets and leukocytes in experimental mycardial infarction, 1002

Effects of propranolol therapy on platelet release and prostaglandin generation in patients with coronary heart disease, 1294 Indium-111-labeled platelets: effect of heparin on uptake by venous

thrombi and relationship to the activated partial thromboplastin time, 632

The interaction of sodium nitroprusside with human endothelial cells

The interaction of sodium nitroprusside with human endothelial cells and platelets: nitroprusside and prostacyclin synergistically inhibit platelet function, 1299

Plasma catecholamines, platelet aggregation and associated thromboxane formation after physical exercise, smoking or norepinephrine infusion, 44

Platelet deposition on Dacron aortic bifurcation grafts in man: quantitation with indium-111 platelet imaging, 1287

Platelet function in coronary artery disease: effects of coronary surgery and sulfinpyrazone, 29

Platelet release and thromboxane synthesis in symptomatic coronary artery disease, 327

Studies of platelet factor 4 and beta thromboglobulin release during exercise: lack of relationship to myocardial ischemia, 33

Porcine prosthetic heart valves

Calcification of porcine prosthetic heart valves: a radiographic and light microscopic study, 1100

Positive end-expiratory pressure

Cardiopulmonary interactions. Letter and response, 1347

The effects of airway pressure on cardiac function in intact dogs and man, 108

Postextrasystolic interval

Postextrasystolic potentiation and echocardiography. The effect of varying basic heart rate, extrasystolic coupling interval and postextrasystolic interval, 771

Postextrasystolic potentiation

Postextrasystolic potentiation and echocardiography. The effect of varying basic heart rate, extrasystolic coupling interval and postextrasystolic interval, 771

Relations between myocardial blood flow and postextrasystolic potentiation in epicardial and endocardial left ventricular regions early after coronary occlusion in dogs, 938

Postural changes

Mechanisms governing the postural response and baroreceptor abnormalities in chronic congestive heart failure: effects of acute and long-term converting-enzyme inhibition, 135

Postural changes in pulmonary blood flow in pulmonary hypertension: a noninvasive technique using ventilation-perfusion scans, 621

Preload

Afterload mismatch and preload reserve in chronic aortic regurgitation, 826

Effect of preload variations on LV performance. Letter and response, 680

Premature ventricular complexes

The relationship between ventricular ectopic beat frequency and heart rate, 439

Prenalterol

Hemodynamic effects of prenalterol in patients with ischemic heart disease and congestive cardiomyopathy, 361

Pressure gradient

Muscular subaortic stenosis: the temporal relationship between systolic anterior motion of the anterior mitral leaflet and the pressure gradient, 1087

Princeton School Family Study

Intrafamilial associations of lipids and lipoproteins in kindreds with hypertriglyceridemic probands: the Princeton School Family Study, 67

Prognosis

The natural history of coronary heart disease: prognostic factors after

recovery from myocardial infarction in 2789 men. The 5-year findings of the Coronary Drug Project, 401

Recurrent myocardial infarction: clinical predictors and prognostic implications, 415

Propafenone

Suppression of ventricular arrhythmias by propafenone, a new antiarrhythmic agent, during acute myocardial infarction in the conscious dog. A comparative study with lidocaine, 1190

Propranolol

The additive antianginal action of oral nifedipine in patients receiving propranolol. Magnitude and duration of effect, 710

A double-blind randomized trial of propranolol and verapamil in the treatment of effort angina, 574

Effects of propranolol therapy on platelet release and prostaglandin generation in patients with coronary heart disease, 1294

Pharmacologic modification of myocardial ischemia, 548

Plasma catecholamines, platelet aggregation and associated thromboxane formation after physical exercise, smoking or norepinephrine infusion, 44

Prostacyclin

The interaction of sodium nitroprusside with human endothelial cells and platelets: nitroprusside and prostacyclin synergistically inhibit platelet function, 1299

Prostacyclin-induced acute pulmonary vasodilation in primary pulmonary hypertension, 334

Prostaglandins

Effects of propranolol therapy on platelet release and prostaglandin generation in patients with coronary heart disease, 1294 Key references: Prostaglandin and cardiovascular disease, 474

Public policy

Choices that must not be made, 481

Pulmonary embolism

Echocardiographic identification of right-sided cardiac intracavitary thromboembolus in massive pulmonary embolism, 1322

Pulsus alternans

Pulsus alternans. Letter, 479

Q

QRS

QRS scoring system for estimating infarct size. Letter and response, 251

QT interval

Editorial: The QT interval and sudden infant death syndrome, 502 Effect of heart rate and autonomic tone on the QT interval. Letter, 478 Problems of QT measurement. Letter and response, 1137

The QT interval throughout the first 6 months of life: a prospective study, 496

Quinidine

Digoxin-quinidine interaction in patients with chronic renal failure,

R

Rabbit studies

The cellular electrophysiologic mechanism of the dual actions of disopyramide on rabbit sinus node function, 1216

Pharmacologic modification of myocardial ischemia, 548

Transluminal angioplasty in experimental atherosclerosis. Analysis for embolization using an in vivo perfusion system, 917

Recurrent Coronary Prevention Project Study

Feasibility of altering type A behavior pattern after myocardial infarction. Recurrent Coronary Prevention Project Study: methods, baseline results and preliminary findings, 83

Red blood cells

Effect of exercise on erythrocyte count and blood activity concentration after technetium-99m in vivo red blood cell labeling, 638

Regional blood flow

Myocardial function in areas of heterogeneous perfusion after coronary artery occlusion in conscious dogs, 1154

Regurgitation, aortic

Afterload mismatch and preload reserve in chronic aortic regurgita-

Regurgitation, mitral

Assessment of transesophageal pulsed Doppler echocardiography in the detection of mitral regurgitation, 784

"Myxomatous" mitral valves: collagen dissolution as the primary defect, 288

Regurgitation, tricuspid

Evaluation of tricuspid regurgitation by pulsed Doppler and twodimensional echocardiography, 777

The tricuspid valve annulus: study of size and motion in normal subjects and in patients with tricuspid regurgitation, 665

Reinfarction

Timolol-related reduction in mortality and reinfarction in patients ages 65-75 years surviving acute myocardial infarction, 1179 Renal failure

Digoxin-quinidine interaction in patients with chronic renal failure, 1277 Renin-angiotensin system

Renin-angiotensin system inhibition in acute myocardial infarction in dogs. Effects on systemic hemodynamics, myocardial blood flow, segmental myocardial function and infarct size, 1249

Reperfusion, coronary artery Quantitative effect of early coronary artery reperfusion in baboons.

Extent of salvage of the perfusion bed of an occluded artery, 391 Reperfusion, myocardial

Divergent effects of inotropic stimulation on the ischemic and severely depressed reperfused myocardium, 397

Research

Choices that must not be made, 481

James B. Herrick Lecture: Remarks on the present state and future of academic cardiology, 487

Resuscitation, cardiopulmonary

Ambulatory arrhythmias in resuscitated victims of cardiac arrest, 212

Key references: Cardiopulmonary resuscitation. Part I, 898 Key references: Cardiopulmonary resuscitation. Part II, 1133

Relative lack of coronary blood flow during closed-chest resuscitation in dogs, 297

Rheumatic fever

The Jones criteria and the challenges of clinimetrics, 1

Richards, Dickinson, Memorial Lecture

Dickinson Richards Memorial Lecture: A Postscript to Circulation of the Blood: Men and Ideas, 683

Right ventricle

A new two-dimensional echocardiographic technique for evaluating right ventricular size and performance in patients with obstructive lung disease, 612

Radionuclide ventriculography for assessment of absolute right and left ventricular volumes in children, 811

RV response to MI. Letter and response, 251

Risk factors

Choices that must not be made, 481

Recurrent myocardial infarction: clinical predictors and prognostic implications, 415

Relationship of education to major risk factors and death from coronary heart disease, cardiovascular diseases and all causes, 1308

S

Sarcoma

Preoperative angiographic diagnosis of primary sarcoma of the pul-

monary artery, 672
"Sawfish" systolic narrowing
"Sawfish" systolic narrowing of the left anterior descending coronary artery: an angiographic sign of hypertrophic cardiomyopathy, 800

Scar formation

Enhanced detection of the evolution of tissue changes after acute myocardial infarction using color-encoded two-dimensional echocardiography, 64

Septicemia

A scanning and transmission electron microscopic study of an infected endocardial pacemaker lead, 1339

Sex differences in obstructive coronary artery disease in patients 65 years of age or older with angina pectoris, 926

Sick sinus syndrome

The sinus node electrogram in patients with and without sick sinus syndrome: techniques and correlation between directly measured and indirectly estimated sinoatrial conduction time, 864

Sinoatrial conduction

The sinus node electrogram in patients with and without sick sinus syndrome: techniques and correlation between directly measured and indirectly estimated sinoatrial conduction time, 864

Sinus node

The cellular electrophysiologic mechanism of the dual actions of disopyramide on rabbit sinus node function, 1216

The sinus node electrogram in patients with and without sick sinus syndrome: techniques and correlation between directly measured and indirectly estimated sinoatrial conduction time, 864

Sinus node in SIDS. Letter, 681

Sinus rhythm

Intraoperative electrophysiologic mapping of the ventricles during sinus rhythm in patients with a previous myocardial infarction. Identification of the electrophysiologic substrate of ventricular arrhythmias, 847

Socioeconomic status

Does dietary health education reach only the privileged? The Stanford Three Community Study, 77

Sonomicrometry

Two-dimensional echocardiography in experimental coronary stenosis. I. Sensitivity and specificity in detecting transient myocardial dyskinesis: comparison with sonomicrometers, 597

ST segment

Precordial ST-segment depression during acute inferior myocardial infarction: clinical, scintigraphic and angiographic correlations,

Stanford Three Community Study

Does dietary health education reach only the privileged? The Stanford Three Community Study, 77

Stenosis, aortic

Fluid dynamics of aortic stenosis: subvalvular gradients without subvalvular obstruction, 835

Stenosis, coronary artery

The effect of intraaortic balloon counterpulsation on regional myocardial blood flow and oxygen consumption in the presence of coronary artery stenosis in patients with unstable angina, 593

Experimental validation of quantitative coronary arteriography for determining pressure-flow characteristics of coronary stenosis,

Native collaterals in the development of collateral circulation after chronic coronary stenosis in mongrel dogs, 303

Serial thallium-201 myocardial imaging after dipyridamole infusion: diagnostic utility in detecting coronary stenoses and relationship to regional wall motion, 649

Significance of the angiographic morphology of localized coronary stenoses: histopathologic correlations, 316

Two-dimensional echocardiography in experimental coronary stenosis. I. Sensitivity and specificity in detecting transient myocardial dyskinesis: comparison with sonomicrometers, 597

Two-dimensional echocardiography in experimental coronary stenosis. II. Relationship between systolic wall thinning and regional myocardial perfusion in severe coronary stenosis, 603

Stenosis, subaortic

Clinical presentation and natural history of mild discrete subaortic stenosis. Follow-up of 1-17 years, 09

Muscular subaortic stenosis: the temporal relationship between systolic anterior motion of the anterior mitral leaflet and the pressure gradient, 1087

Streptokinase

Acute coronary artery occlusion during percutaneous transluminal coronary angioplasty: reopening by intracoronary streptokinase before emergency coronary artery surgery to prevent myocardial infarction, 1325

Percutaneous transluminal coronary angioplasty immediately after intracoronary streptolysis of transmural myocardial infarction, 905

Thrombolysis in acute myocardial infarction using intracoronary streptokinase: assessment by thallium-201 scintigraphy, 658

Stress-volume relationship

Assessment of LV contractility. Letter and response, 1139

Subvalvular pressure gradients

Fluid dynamics of aortic stenosis: subvalvular gradients without subvalvular obstruction, 835

Sudden death

Baroreceptor reflex control of heart rate: a predictor of sudden cardiac death, 874

Clinical characteristics associated with sudden death in patients with variant angina, 588

Sudden death recorded during Holter monitoring, 218

Sudden infant death syndrome

Editorial: The QT interval and sudden infant death syndrome, 502
The QT interval throughout the first 6 months of life: a prospective study, 496

Sinus node in SIDS. Letter, 681

Sulfinpyrazone

Platelet function in coronary artery disease: effects of coronary surgery and sulfinpyrazone, 29

Surgery, cardiac

Ultrasonic imaging of the coronary arteries in open-chest humans: evaluation of coronary atherosclerotic lesions during cardiac surgery, 1034

Surgery, coronary artery

Acute coronary artery occlusion during percutaneous transluminal coronary angioplasty: reopening by intracoronary streptokinase before emergency coronary artery surgery to prevent myocardial infarction, 1325

Surgical management

European Coronary Surgery Study. Letter and response, 1349

Platelet function in coronary artery disease: effects of coronary surgery and sulfinpyrazone, 29

Pulmonary atresia and intact ventricular septum: surgical management based on a revised classification, 272

Survival in subgroups of patients with left main coronary artery disease. Veterans Administration Cooperative Study of Surgery for Coronary Arterial Occlusive Disease, 14

Survival of medically treated patients in the Coronary Artery Surgery Study (CASS) registry, 562

Survival rate

Recurrent myocardial infarction: clinical predictors and prognostic implications, 415

Survival in subgroups of patients with left main coronary artery disease. Veterans Administration Cooperative Study of Surgery for Coronary Arterial Occlusive Disease, 14

Survival of medically treated patients in the Coronary Artery Surgery Study (CASS) registry, 562

Survival rates

The effect of aortic valve replacement on survival, 1105

The influence of residual disease after coronary bypass on the 5-year survival rate of 1274 men with coronary artery disease, 717

Systolic anterior motion

Muscular subaortic stenosis: the temporal relationship between systolic anterior motion of the anterior mitral leaflet and the pressure gradient, 1087

Systolic wall thinning

Two-dimensional echocardiography in experimental coronary stenosis. II. Relationship between systolic wall thinning and regional myocardial perfusion in severe coronary stenosis, 603

T

Tachycardia, atrioventricular reentrant

Effects of oral disopyramide phosphate on induction and sustenance of atrioventricular reentrant tachycardia incorporating retrograde accessory pathway conduction, 454

Tachycardia, paroxysmal supraventricular

Treatment of paroxysmal supraventricular tachycardia in infancy with digitalis, adenosine-5'-triphosphate, and verapamil: a comparative study, 504

Tachycardia, reciprocating

Changes in ventriculoatrial intervals with bundle branch block aberration during reciprocating tachycardia in patients with accessory atrioventricular pathways, 196

Tachycardia, ventricular

Antiarrhythmic drug combinations in the treatment of ventricular tachycardia. Efficacy and electrophysiologic effects, 1205

The incidence and clinical significance of epicardial late potentials in patients with recurrent sustained ventricular tachycardia and coronary artery disease, 1199

Low-energy synchronous cardioversion of ventricular tachycardia using a catheter electrode in a canine model of subacute myocardial infarction, 187

Suppression of ventricular arrhythmias by propafenone, a new antiarrhythmic agent, during acute myocardial infarction in the conscious dog. A comparativve study with lidocaine, 1190

Technetium-99m scintigraphy

Effect of exercise on erythrocyte count and blood activity concentration after technetium-99m in vivo red blood cell labeling, 638

Evaluation of noninvasive tests of cardiac damage in suspected cardiac contusion, 627

The late prognostic value of acute scintigraphic measurement of myocardial infarction size, 960

Thalassemia major

The left ventricular end-systolic pressure-dimension relation in patients with thalassemia major. A new noninvasive method for assessing contractile state, 980

Thallium-201 scintigraphy

Accuracy of serial myocardial perfusion scintigraphy with thallium-201 for prediction of graft patency early and late after coronary artery bypass surgery. A controlled prospective study, 1017

artery bypass surgery. A controlled prospective study, 1017 Comparison of thallium-201 scanning in idiopathic dilated cardiomyopathy and severe coronary artery disease, 804

Estimation of infarct size by myocardial emission computed tomography with thallium-201 and its relation to creatine kinase-MB release after myocardial infarction in man, 994

Exercise electrocardiography and myocardial scintigraphy in the serial evaluation of the results of percutaneous transluminal coronary angioplasty, 380

The independent value of exercise thallium scintigraphy to physicians 953

The late prognostic value of acute scintigraphic measurement of myocardial infarction size, 960

Precordial ST-segment depression during acute inferior myocardial infarction: clinical, scintigraphic and angiographic correlations, 732

Serial thallium-201 myocardial imaging after dipyridamole infusion: diagnostic utility in detecting coronary stenoses and relationship to regional wall motion, 649

Thallium-201 uptake in variant angina: probable demonstration of myocardial reactive hyperemia in man, 1332

Thrombolysis in acute myocardial infarction using intracoronary streptokinase: assessment by thallium-201 scintigraphy, 658

Tomographic thallium-201 myocardial perfusion scintigrams after maximal coronary artery vasodilation with intravenous dipyridamole. Comparison of qualitative and quantitative pproaches, 370

Thromboglobulin

Studies of platelet factor 4 and beta thromboglobulin release during exercise: lack of relationship to myocardial ischemia, 33

Thrombolysis

Editorial: Thrombolysis in acute myocardial infarction: treatment of the underlying coronary artery disease, 914

Percutaneous transluminal coronary angioplasty immediately after intracoronary streptolysis of transmural myocardial infarction, 905

Thrombolysis in acute myocardial infarction using intracoronary streptokinase: assessment by thallium-201 scintigraphy, 658

Thrombosis

Regional stasis of blood in the dysfunctional left ventricle: echocardiographic detection and differentiation from early thrombosis, 755

Thromboxane

Plasma catecholamines, platelet aggregation and associated thromboxane formation after physical exercise, smoking or norepinephrine infusion, 44

Platelet release and thromboxane synthesis in symptomatic coronary artery disease, 327

Thromboxane A2

Failure of thromboxane A_2 blockade to prevent attacks of vasospastic angina, 702

Thrombus

Detection of left ventricular thrombus by two-dimensional echocardiography: sensitivity, specificity, and causes of uncertainty, 156

Thyroxine Pharmacol

Pharmacokinetic significance of serum reverse T₃ levels during amiodarone treatment: a potential method for monitoring chronic drug therapy, 202

Timelel

Timolol-related reduction in mortality and reinfarction in patients ages 65-75 years surviving acute myocardial infarction, 1179

Torsade de pointes

Torsade de pointes. Letter, 250

Toxoplasma gondii

Huge chronic pericardial effusion caused by Toxoplasma gondii, 895

Transcutaneous angioplasty

Transcutaneous angioplasty of experimental aortic coarctation, 1280 Transposition of great arteries

Long-term results after atrial repair of transposition of the great arteries in early infancy, 253

Trauma, cardiovascular

Evaluation of noninvasive tests of cardiac damage in suspected cardiac contusion, 627

Key references: Cardiovascular trauma. Part II, 244

Tricuspid valve

Diagnosis of functional tricuspid insufficiency by pulsed-wave Doppler ultrasound, 1315

Evaluation of tricuspid regurgitation by pulsed Doppler and twodimensional echocardiography, 777

The tricuspid valve annulus: study of size and motion in normal subjects and in patients with tricuspid regurgitation, 665

Triglycerides

Changes in cholesterol and triglyceride as predictors of ischemic heart disease in men, 724

Tropical medicine

1982, the year of tropical cardiology, 683A

Type A behavior

Feasibility of altering type A behavior pattern after myocardial infarction. Recurrent Coronary Prevention Project Study: methods, baseline results and preliminary findings, 83

U

Univentricular heart

Cross-sectional echocardiographic diagnosis and subclassification of univertricular hearts: imaging studies of atrioventricular valves, septal structures and rudimentary outflow chambers, 1070

V

Valve replacement

Calcification of porcine prosthetic heart valves: a radiographic and light microscopic study, 1100

The effect of aortic valve replacement on survival, 1105

Myocyte disarray develops in papillary muscles released from normal tension after mitral valve replacement, 841

"Myxomatous" mitral valves: collagen dissolution as the primary defect, 288

Vasoconstriction

Evidence of a shared mechanism of vasoconstriction in pulmonary and systemic circulation in hypertension: a possible role of intracellular calcium, 881

Vasodilation, coronary artery

Tomographic thallium-201 myocardial perfusion scintigrams after

maximal coronary artery vasodilation with intravenous dipyridamole. Comparison of qualitative and quantitative approaches, 370

Vasodilation, pulmonary

Prostacyclin-induced acute pulmonary vasodilation in primary pulmonary hypertension, 334

Ventilation-perfusion scans

Postural changes in pulmonary blood flow in pulmonary hypertension: a noninvasive technique using ventilation-perfusion scans, 621

Ventricular ectopic beats

The relationship between ventricular ectopic beat frequency and heart rate, 439

Ventricular function

Editorial: The stunned myocardium: prolonged, postischemic ventricular dysfunction, 1146

Effects of exercise training on ventricular function in patients with recent myocardial infarction, 100

Ventricular premature depolarizations

The effect of intermittent bundle branch block on the coupling interval of ventricular premature depolarizations, 1120

Ventricular septal defect

Angiocardiography of multiple ventricular septal defects in infancy, 1094

Ventricular septum

Pulmonary atresia and intact ventricular septum: a revised classification, 266

Pulmonary atresia and intact ventricular septum: surgical management based on a revised classification, 272

Ventricular volumes

Radionuclide ventriculography for assessment of absolute right and left ventricular volumes in children, 811

Ventriculoatrial intervals

Changes in ventriculoatrial intervals with bundle branch block aberration during reciprocating tachycardia in patients with accessory atrioventricular pathways, 196

Ventriculocoronary connections

Ventriculocoronary connections in hypoplastic left hearts: an autopsy microscopic study, 1078

Ventriculography, radionuclide

Effect of exercise on erythrocyte count and blood activity concentration after technetium-99m in vivo red blood cell labeling, 638

Radionuclide ventriculography for assessment of absolute right and left ventricular volumes in children, 811

Verapamil

A double-blind randomized trial of propranolol and verapamil in the treatment of effort angina, 574

Influence of the extent of the zone at risk on the effectiveness of drugs in reducing infarct size, 181

Treatment of paroxysmal supraventricular tachycardia in infancy with digitalis, adenosine-5'-triphosphate, and verapamil: a comparative study, 504

Treatment of stable angina of effort with verapamil: a double-blind, placebo-controlled randomized crossover study, 569

Veterans Administration Cooperative Study

Survival in subgroups of patients with left main coronary artery disease. Veterans Administration Cooperative Study of Surgery for Coronary Arterial Occlusive Disease, 14

W

Wall motion

Sequence and timing of ventricular wall motion in patients with bundle branch block. Assessment by radionuclide cineangiography, 1113

Serial thallium-201 myocardial imaging after dipyridamole infusion: diagnostic utility in detecting coronary stenoses and relationship to regional wall motion, 649

Two-dimensional echocardiographic analysis of segmental left ventricular wall motion before and after coronary artery bypass surgery, 1025

Wolff-Parkinson-White syndrome

Intrauterine and postnatal atrial fibrillation in the Wolff-Parkinson-White syndrome, 1124

